



University of Child Health Sciences
The Children's Hospital, Lahore
Ferozepur Road, Lahore Phone # (92) (42) 99230901-23 Fax # 99231560



No. P.C./

1024

/UCHS

Dated 30-05-2024

To



Mr. Abdul Wahab
Director (ICT Cell)
Specialized Healthcare &
Medical Education Department
Government of the Punjab, Lahore.

Subject: - **UPLOADING THE MINUTES OF TECHNICAL EVALUATION (TAC) REPORT
REGARDING PROCUREMENT FOR UNIVERSITY OF CHILD HEALTH SCIENCES,
LAHORE FOR THE YEAR 2023-2024**

Kindly Refer to the subject cited above.

Please find enclosed herewith Minutes of Technical Evaluation (TAC) Report regarding following items for University of Child Health Sciences, Lahore for the year 2023-24 to upload on the Health Department website.

Sr. No.	Items Description
1	Photocopier (Latest Model)
2	Anatomy Models (School of Allied Health Sciences)
3	Anatomy Models (College of Nursing)
4	Iron Bunk Beds with Mattress
5	Bed Side Tables (wooden)

Your early response will be highly appreciated.

Prof. Dr. Nabila Talat
Registrar UCHS
Prof. of Peads Surgery
Dean Faculty of Surgery

MINUTES OF UNIVERSITY TECHNICAL ADVISORY COMMITTEE (UTAC) MEETING REGARDING THE PROCUREMENT PHOTOCOPIER, ANATOMY MODELS, IRON BUNK BEDS WITH MATTRESS & BED SIDE TABLES (WOODEN) FOR THE YEAR 2023-2024.

In compliance to letter No. P.C./997-1009/UCHS dated 25-05-2024, University Technical Advisory Committee (UTAC) meeting regarding the procurement of following items was held on 30-05-2024 at 10:00 a.m. in Syndicate room of the admin block under the Chairmanship of **Dr. Junaid Rashid**, Professor of Paediatric Medicine / Pro-Vice Chancellor, University of Child Health Sciences, Lahore.

Sr. No.	Items Description
1	Photocopier (Latest Model)
2	Anatomy Models (School of Allied Health Sciences)
3	Anatomy Models (College of Nursing)
4	Iron Bunk Beds with Mattress
5	Bed Side Tables (wooden)

Following officers attended the meeting:-

1.	Dr. Junaid Rashid Prof. of Paediatric Medicine Pro-Vice Chancellor, UCHS	2.	Dr. Syed Muhammad Javed Iqbal Prof. of Paediatric Medicine
3.	Dr. Uzma Kazmi Prof. of Paediatric Cardiology	4.	Dr. Farah Haroon Associate Prof. Neonatology
5.	Dr. Sarfraz Ahmad Associate Prof. Paediatric PM&R	6.	Dr. Nazish Saqlan Associate Prof. of Pathology
7.	Dr. Zia-Ur-Rehman Associate Prof. Paediatric Neurology	8.	Dr. Muhammad Bilal Mirza Associate Prof. Paediatric Surgery
9.	Dr. Mumtaz Hussain Assistant Professor Paediatric Orthopedic Surgery	10.	Dr. Muhammad Zeeshan Khan Assistant Professor Paediatric Medicine
11.	Dr. Faeza Hasnain Chief Pharmacist / Drug Controller	12.	Dr. Syed Ali Abu Zar AMS (Coordination)
13.	Muhammad Riaz Shahid Incharge Pay Roll Section		
Enduser (Concerned Department)			
1.	Samina Zaman Prof. of Pathology Principal of SAHS	2.	Mst. Azra Parveen Principle College of Nursing

Proceeding:-

Meeting started with the name of Allah by recitation of few verses from the Holy Quran:-

Purchase Officer briefed the committee that the procurement of items mentioned above to be purchased for the College of Nursing, School of Allied Health Sciences & Registrar Office of the University of Child Health Sciences, Lahore. Tender was advertised through press on 26-04-2024 as well as on PPRA website on 02-05-2024. Technical bids were opened by Bid Opening Committee meeting held on 18-05-2024.

All the committee members and end-users scrutinized / evaluated and discussed all the quoted bids in detail and give the following recommendations for finalization of the technical advisory committee (TAC) report.

MINUTES OF UNIVERSITY TECHNICAL ADVISORY COMMITTEE (UTAC) MEETING REGARDING THE PROCUREMENT PHOTOCOPIER, ANATOMY MODELS, IRON BUNK BEDS WITH MATTRESS & BED SIDE TABLES (WOODEN) FOR THE YEAR 2023-2024.

1. Photocopier

Only one Firm i.e. M/s Office Automation Group participated in the tender of Photocopier quoted brand Konica Minolta Bizhub 550i for the year 2023-2024 and was declared responsive as per evaluation criteria mentioned in the bidding documents. The detail is as follow:-

Sr. No.	Specifications		Firm's Specifications
			M/s Office Automation Group
			Konica Minolta Bizhub 550i
1.	Copies per Minutes	55 Copies (A4)	55 Copies (A4)
2.	Printing resolution	1200x1200 DPI	1200x1200 DPI / 1800 x 600 DPI
3.	Memory	8 GB	8 GB
4.	Storage Capacity	256 GB SSD	256 GB SSD
5.	Maximum Original size	A3	A6 to A3 (Through bypas) A5 to A3
6.	Copy size	A3 to A5R	A6 to A3 (Through bypas) A5 to A3
7.	Zoom	25-400% with 0.1% increments	25-400% increments with 0.1% increments
8.	Printing & Scanning	USB and Ethernet	Bult in networking printer & scanner, Built in electronic sorting
9.	Document Feeder	Dual Scan Document Feeder	Built in Duplex & DSDF
10.	Processor	1.6 GHz Quad Core	1.6 GHz (Quad Core)
Note:-		Continuous Copying: 1 to 9999 copies	
		Paper Supply: 500 Sheets capacity x 2 paper trays Multi Sheet Bypass x 150 sheets	
		Scanning Speed: 140 ipm simplex / 280 ipm Duplex (Color / Mono)	
		Bult in networking printer & scanner, Built in electronic sorting, Built in Duplex, Built in DSDF	

2. Anatomy Models (SAHS)

Three Firms i.e. M/s Mediland Pakistan (Pvt) Ltd., M/s Deneb Corporation & M/s Medinostic Pakistan Health Care (Pvt) Ltd. participated in the tender of Anatomy Model (SAHS) for the year 2023-2024 and all were declared qualified as per evaluation criteria mentioned in the bidding documents.

The Following decisions were made unanimously by all the members of TAC committee and end users.

Sr. No.	Item Description	V. No.	Firm Name	Quoted Brand / Model	Status	Remarks
1	Lower Limb (A+ Quality)	1	M/s Mediland Pakistan (Pvt) Ltd	(6012) Erler Zimmer Germany	Non-Responsive	Not required, Skelton of arm
		2	M/s Deneb Corp	Shanghai's Chinon Medical, China	Non-Responsive	Not recommended, not muscular system
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1000015) 3B Scientific, Germany	Responsive	

**MINUTES OF UNIVERSITY TECHNICAL ADVISORY COMMITTEE (UTAC) MEETING REGARDING THE
PROCUREMENT PHOTOCOPIER, ANATOMY MODELS, IRON BUNK BEDS WITH MATTRESS & BED SIDE
TABLES (WOODEN) FOR THE YEAR 2023-2024.**

Sr. No.	Item Description	V. No.	Firm Name	Quoted Brand / Model	Status	Remarks
2	Upper Limb (A+ Quality)	1	M/s Mediland Pakistan (Pvt) Ltd	(6062) Erler Zimmer Germany	Non-Responsive	Not Required, Skelton of Leg No muscular system
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Non-Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1000351) 3B Scientific, Germany	Responsive	
3	Brain (Model 9- Parts)	1	M/s Mediland Pakistan (Pvt) Ltd	(C2200) Erler Zimmer Germany	Responsive	
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1017868) 3B Scientific, Germany	Responsive	
4	Brain Model	1	M/s Mediland Pakistan (Pvt) Ltd	(C918) Erler Zimmer Germany	Responsive	No specification in catalogue
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Non-Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1000223) 3B Scientific, Germany	Responsive	
5	Heart Model	1	M/s Mediland Pakistan (Pvt) Ltd	(G310) Erler Zimmer Germany	Responsive	Not recommended
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Non-Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1000269) 3B Scientific, Germany	Responsive	
6	Transparent Lungs	1	M/s Mediland Pakistan (Pvt) Ltd	(G216) Erler Zimmer Germany	Non-Responsive	Not Transparent
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1000275) 3B Scientific, Germany	Responsive	
7	Simple Lungs	1	M/s Mediland Pakistan (Pvt) Ltd	(G216) Erler Zimmer Germany	Responsive	
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1019545) 3B Scientific, Germany	Responsive	

**MINUTES OF UNIVERSITY TECHNICAL ADVISORY COMMITTEE (UTAC) MEETING REGARDING THE
PROCUREMENT PHOTOCOPIER, ANATOMY MODELS, IRON BUNK BEDS WITH MATTRESS & BED SIDE
TABLES (WOODEN) FOR THE YEAR 2023-2024.**

Sr. No.	Item Description	V. No.	Firm Name	Quoted Brand / Model	Status	Remarks
8	Larynx Model	1	M/s Mediland Pakistan (Pvt) Ltd	9G123) Erler Zimmer Germany	Responsive	Not Present in catalogue
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Non-Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1000272) 3B Scientific, Germany	Responsive	
9	Stomach Model	1	M/s Mediland Pakistan (Pvt) Ltd	(K217) Erler Zimmer Germany	Non-Responsive	Not required with ulcer, only anatomically Not sure of quality
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Non-Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1000302) 3B Scientific, Germany	Responsive	
10	Liver Model	1	M/s Mediland Pakistan (Pvt) Ltd	(K108) Erler Zimmer Germany	Non-Responsive	No lobes & fissures shown Not required, Need lobes of liver + porta hepatic
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Non-Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1014209) 3B Scientific, Germany	Responsive	
11	Kidney Model	1	M/s Mediland Pakistan (Pvt) Ltd	(K212) Erler Zimmer Germany	Responsive	
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1014211) 3B Scientific, Germany	Responsive	
12	Female Pelvis Model	1	M/s Mediland Pakistan (Pvt) Ltd	(H210) Erler Zimmer Germany	Responsive	Not recommended without muscular part and viscera
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Non-Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1000288) 3B Scientific, Germany	Responsive	
13	Male Pelvis Model	1	M/s Mediland Pakistan (Pvt) Ltd	(H211) Erler Zimmer Germany	Responsive	Not required no viscera and muscular No need of Skelton, No viscera's shown
		2	M/s Deneb Corp	Shanghais Chinon Medical, China	Non-Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	(1000133) 3B Scientific, Germany	Non-Responsive	

MINUTES OF UNIVERSITY TECHNICAL ADVISORY COMMITTEE (UTAC) MEETING REGARDING THE PROCUREMENT PHOTOCOPIER, ANATOMY MODELS, IRON BUNK BEDS WITH MATTRESS & BED SIDE TABLES (WOODEN) FOR THE YEAR 2023-2024.

Sr. No.	Item Description	V. No.	Firm Name	Quoted Brand / Model	Status	Remarks
14	Human Bones Set	1	M/s Mediland Pakistan (Pvt) Ltd	(3024) Erler Zimmer Germany	Non-Responsive	It is half Skelton Not required, No Visera and muscles
		2	M/s Deneb Corp	Shanghais Chinon Medical, China (1020157)	Non-Responsive	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany	Responsive	
15	Histology Set (Carolina A+ quality)	1	M/s Mediland Pakistan (Pvt) Ltd	(J213) Erler Zimmer Germany	Non-Responsive	Not relevant
		2	M/s Deneb Corp	Shanghais Chinon Medical, China (1004233)	Not Quoted	
		3	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany	Responsive	

3. Anatomy Models (College of Nursing)

Three Firms i.e. M/s Mediland Pakistan (Pvt) Ltd., M/s Deneb Corporation & M/s Medinostic Health Care (Pvt) Ltd. participated in the tender of Anatomy Model (College of Nursing) for the year 2023-2024 and all were declared qualified as per evaluation criteria mentioned in the bidding documents.

Following decisions were made unanimously by all the members of TAC committee and end users

Sr. No.	Item Description	V. No.	Firm Name	Quoted Brand / Model	Status	Remarks
1	Mini Human Spinal Column model with stand	1	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany(1000121)	Responsive	
		2	M/s Deneb Corporation	ADA, China	Responsive	
		3	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA (LA00184)	Responsive	
		4	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer , Germany (40002)	Responsive	
2	MRI Torso Model with 15 Transverse Section	1.	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany(1001237)		Not Required
		2.	M/s Deneb Corporation	Not Quoted		
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA (SB41443)		
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer , Germany (V120)		

**MINUTES OF UNIVERSITY TECHNICAL ADVISORY COMMITTEE (UTAC) MEETING REGARDING THE
PROCUREMENT PHOTOCOPIER, ANATOMY MODELS, IRON BUNK BEDS WITH MATTRESS & BED SIDE
TABLES (WOODEN) FOR THE YEAR 2023-2024.**

Sr. No.	Item Description	V. No.	Firm Name	Quoted Brand / Model	Status	Remarks
3	Child CPR / Airway Management Torso	1.	M/s Medinostic Healthcare (Pvt) Ltd.	Laerdal Medical, Norway (128-01050+255-00001)	Responsive	
		2.	M/s Deneb Corporation	Practiman Plus, Spain	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer (R10192)	Responsive	
4	Patient Care Manikin Basic	1.	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany (1018817)	Responsive	
		2.	M/s Deneb Corporation	Gaumard, USA (S201)	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA (LF4020)	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer, Germany (R17625)	Responsive	
5.	Infant ALS Manikin	1.	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany (10005658)	Responsive	
		2.	M/s Deneb Corporation	Gaumard, USA (S105250)	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA (LF03709)	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer, Germany (BA96)	Responsive	
6.	Neonatal patient Care simulation Option-1	1.	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany (1020899)	Responsive	
		2.	M/s Deneb Corporation	Gaumard, USA (S107)	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA (LF014400)	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer(R17700)	Responsive	
7.	Premature Anne Task Trainer Option-2	1.	M/s Medinostic Healthcare (Pvt) Ltd.	Laerdal Medical, Norway(290-000500)	Responsive	
		2.	M/s Deneb Corporation	Gaumard, USA (S108.100)	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA (LF01280)	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer(LF01280)	Responsive	

**MINUTES OF UNIVERSITY TECHNICAL ADVISORY COMMITTEE (UTAC) MEETING REGARDING THE
PROCUREMENT PHOTOCOPIER, ANATOMY MODELS, IRON BUNK BEDS WITH MATTRESS & BED SIDE
TABLES (WOODEN) FOR THE YEAR 2023-2024.**

Sr. No.	Item Description	V. No.	Firm Name	Quoted Brand / Model	Status	Remarks
8.	KERI Auscultation Manikin Nursing Skills Manikin Option-1	1.	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany (1020147)	Responsive	
		2.	M/s Deneb Corporation	Gaumard, USA(S200)	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA(LF04023)	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer, Germany (LF4001)	Responsive	
9.	GERI Auscultation Manikin Nursing Skills Manikin Option-2	1.	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany (1020146)	Responsive	
		2.	M/s Deneb Corporation	Gaumard, USA (S200)	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA(LF04003)	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer, Germany (LF4001)	Responsive	
10.	Chester Chest with Port Access Arm	1.	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany (1009801)	Responsive	
		2.	M/s Deneb Corporation	Not Quoted	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA(SB18636)	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer, Germany (R11000)	Responsive	
11.	Pediatric Auscultation Trainer	1.	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany (1020098)	Responsive	
		2.	M/s Deneb Corporation	Gaumard, USA(S314.200)	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA(247741)	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer, Germany(R11000)	Responsive	
12.	Simulates a Twelve month-old Infant for Realistic Training	1.	M/s Medinostic Healthcare (Pvt) Ltd.	3B Scientific, Germany (1005630)	Responsive	
		2.	M/s Deneb Corporation	Gaumard, USA(S105)	Responsive	
		3.	M/s Idea Medicals (Pvt) Ltd.	Nasco Healthcare, USA(SB32886)	Responsive	
		4.	M/s Mediland Pakistan (Pvt) Ltd.	Erler Zimmer, Germany (R17710)	Responsive	

MINUTES OF UNIVERSITY TECHNICAL ADVISORY COMMITTEE (UTAC) MEETING REGARDING THE PROCUREMENT PHOTOCOPIER, ANATOMY MODELS, IRON BUNK BEDS WITH MATTRESS & BED SIDE TABLES (WOODEN) FOR THE YEAR 2023-2024.

4. Iron Bunk Beds with Mattress

Two Firms i.e. **M/s Acme Steel & M/s Mehmood Furniture House** were participated in the tender of Iron Bunk Beds with Mattress for the year 2023-2024 and both were declared responsive as per evaluation criteria mentioned in the bidding documents.


Sr. No.	Specifications	Firm's Specifications	
		M/s Acme Steel Made: ACME STEEL	M/s Mehmood Furniture House
1	Height 6'	Height 6'	Height 6'
2	Width 3'	Width 3'	Width 3'
3	Length 6'.25"	Length 6'.25"	Length 6'.25"
4	Center Gap 44"	Center Gap 44"	Center Gap 44"
5	Pipe Gauge 18 gauge	Pipe Gauge 18 gauge	Pipe Gauge 18 gauge
6	Width of Pipe 1.5"	Width of Pipe 1.5"	Width of Pipe 1.5"
7	Mattress size 3"	Mattress size 3"	Mattress size 3"
8	Compatible with bed.	Compatible with bed.	Compatible with bed.


5. Bed Side Tables (wooden)

Only one Firm i.e. **M/s Mehmood Furniture House** was participated in the tender of Bed Side Tables (wooden) for the year 2023-2024 and declared responsive as per evaluation criteria mentioned in the bidding documents.

Sr. No.	Specifications	Firm Specification M/s Mehmood Furniture House
1	Size 2'x2' Wooden	Size 2'x2' (wooden)

End-user Concerned Member



Mst. Azra Parveen
Principle College of Nursing



Dr. Samina Zaman
Principal / Prof. of Histopathology
School of Allied Health Sciences


Technical Advisory Committee (TAC)



Muhammad Riaz Shahid
Incharge Pay Roll Section


Dr. Syed Ali Abu Zar
AMS (Coordination)


Dr. Faeza Hasnain
Chief Pharmacist /
Drug Controller


Dr. Muhammad Zeeshan Khan
Assistant Professor Paediatric
Medicine


Dr. Mumtaz Hussain
Assistant Professor Paediatric
Orthopedic Surgery



Dr. Muhammad Bilal Mirza
Associate Prof. Paediatric
Surgery

MINUTES OF UNIVERSITY TECHNICAL ADVISORY COMMITTEE (UTAC) MEETING REGARDING THE
PROCUREMENT PHOTOCOPIER, ANATOMY MODELS, IRON BUNK BEDS WITH MATTRESS & BED SIDE
TABLES (WOODEN) FOR THE YEAR 2023-2024.



Dr. Zia-Ur-Rehman
Associate Prof. Paediatric Neurology

Dr. Nazish Saqlan
Associate Prof. of Pathology



Dr. Sarfraz Ahmad
Associate Prof. Paediatric PM&R


Dr. Farah Haroon
Associate Prof. Neonatology



Dr. Uzma Kazmi
Prof. of Paediatric Cardiology



Dr. Syed Muhammad Javed Iqbal
Prof. of Paediatric Medicine



Dr. Junaid Rashid
Prof. of Paediatric Medicine /
Pro Vice Chancellor UCHS

Submitted for information and approval.



REGISTRAR (UCHS)