



**The Children's Hospital,
University of Child Health Sciences,**
Ferozepur Road, Lahore Phone # (92) (42) 99230901-23 Fax # 99231560



No. P.C./ **SH 202** /CH&UCHS

Dated **03-10-**, 2022

To

Mr. Abdul Wahab
I/C Programmer (I.T.)
Health Department, Civil Secretariat,
Lahore.

Subject: - **REQUEST FOR UPLOADING THE TECHNICAL EVALUATION COMMITTEE (TAC) REPORT REGARDING THE FOLLOWING FRAMEWORK CONTRACTS IN THE CHILDREN'S HOSPITAL, LAHORE FOR THE YEAR 2022-2023 ON HEALTH DEPARTMENT WEBSITE**

Please find enclosed herewith the Technical Evaluation Committee (TAC) Report regarding the following Framework Contracts for The Children's Hospital, Lahore for the year 2022-2023, need to be uploaded in the Health Department website.

Sr. No.	Tender Name	Sr. No.	Tender Name
1.	Framework Contract for Linen Items	2.	Framework Contract for Purchase of Uniform for the Hospital Employees
3.	Framework Contract for Purchase of Stationery Items	4.	Framework Contract for Purchase of Stationary Printing Items
5.	Framework Contract for Purchase of General Store Items	6.	Framework Contract for Purchase of Maintenance Items
7.	Framework Contract for Purchase of Toners for Printers	8.	Framework Contract for Bulk Purchase of OPD Medicine Items
9.	Framework Contract for Purchase of Digital X-Ray Films (CR Systems provided by the firm free of cost as per requirement of the hospital)	10.	Framework Contract for Purchase of Dental Material / Chemical Items
11.	Framework Contract of Accessories for Equipments	12.	Out Sourcing of Printers Including Printer Toner, Repair, Refill and Backup Facility (Excluding Papers)
13.	Contract for Services of Insecticide / Pest Control Services in the Hospital.	14.	Prequalification of firms for supply of Medicines, Surgical Disposable & Medical Devices through local purchase on day to day basis.

Your positive response will be highly appreciated.


Prof. Dr. Muhammad Saleem
Professor of Paediatric Surgery
Medical Director

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Reference Bid No. 41615/1, 2, 3, 4, 5, 6 & 7/CH&UCHS dated 27-08-2022 and Bid No. 41617/1, 3, 4, 5, 6, 7 & 8/CH&UCHS dated 27-08-2022. In pursuance of letter No. 51792/CH&UCHS dated 21-09-2022 Technical Advisory Committee meeting regarding following Contracts for the year 2022-2023.

1. Framework Contract for Linen Items
2. Framework Contract for Purchase of Uniform for the Hospital Employees
3. Framework Contract for Purchase of Stationery Items
4. Framework Contract for Purchase of Stationary Printing Items
5. Framework Contract for Purchase of General Store Items
6. Framework Contract for Purchase of Maintenance Items
7. Framework Contract for Purchase of Toners for Printers
8. Framework Contract for Bulk Purchase of OPD Medicine Items
9. Framework Contract for Purchase of Digital X-Ray Films (CR Systems provided by the firm free of cost as per requirement of the hospital)
10. Framework Contract for Purchase of Dental Material / Chemical Items
11. Framework Contract of Accessories for Equipments
12. Out Sourcing of Printers Including Printer Toner, Repair, Refill and Backup Facility (Excluding Papers)
13. Contract for Services of Insecticide / Pest Control Services in the Hospital.
14. Prequalification of firms for supply of Medicines, Surgical Disposable & Medical Devices through local purchase on day to day basis.

Following officers attend the meeting:-

1.	Dr. Junaid Rashid Prof. of Paediatric Medicine / Head of Department Medical Unit-II	Chairman	2.	Dr. Nabeela Talat Prof. of Peads Surgery / Head of Department Surgery Unit-II	Member
3.	Dr. Aizza Zafar Prof. of Microbiology / Head of Pathology Department	Member	4.	Dr. Javed Iqbal Prof. of Paediatric Medicine	Member
5.	Dr. Farah Naz Associate Prof. Pead Medicine	Member	6.	Dr. Nazish Saqlan Associate Prof. of Pathology Department	Member
7.	Dr. Sarfraz Ahmad Associate Prof. Peadiatric PM&R	Member	8.	Mst. Faeza Husnain Chief Pharmacist / Drug Controller	Member
9.	Dr. Syed Salman Ahmad Shan Assistant Prof. of Pead Cardiovascular Surgery	Member	10.	Dr. Zeeshan Sarfraz Deputy Medical Superintendent (Purchase)	Member / Coordinator

[Handwritten signatures and dates]
 24/10/22

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

11.	Muhammad Riaz Shahid Computer Programmer / Incharge Pay Roll	Member	12.	Engr. Shujaat Ali Bio Medical Engineer / Technical Officer	Member
13.	Dr. Nasreen Manzoor AMS (Store)	Enduser	14.	Dr. Abid Ali Qureshi Prof. of Peads Radiology / Head of Radiology Department	Enduser
15.	Dr. Zia ur Rehman Associate Prof. of Peads Neurology	Enduser	16.	Dr. Ayesha Ashraf Assistant Prof. of Orthodontic	Enduser
17.	Mazhar Iqbal Noor Computer Programmer / IT. Incharge	Enduser	18.	Mst. Naziran Batool Assistant Nursing Superintendent	Enduser
19.	Mst. Fozia Bano Admin Nurse / Cardiac Surgery ICU	Enduser	20.	Mst. Saraphen Rebecca Head Nurse NNU	Enduser
21.	Mst. Shahida Din Muhammad Incharge Insecticide / Pest Control	Enduser	22.	Mst. Naheed Akhtar Head Nurse MICU	Enduser

PROCEEDINGS

Meeting started with the name of Almighty Allah the Most Gracious, the Most Merciful. The chairman welcomed the participants including representatives of the firms.

DMS (Purchase) briefed the committee regarding evaluation of the bids submitted by the firms for the year **2022-2023** as per evaluation criteria mentioned in the bidding document.

All the committee members & end-user scrutinized / evaluated and discussed all the quoted bids in detail and give the following recommendations for finalization of the technical advisory committee (TAC) reports.

Following decisions were made unanimously by all the members of (TAC) committee members & enduser.

1. Framework Contract for Linen Items

Six firms participated in the tender of Linen Items for the year 2022-2023. M/s Kamran Enterprises, M/s Mian & Co, M/s Ever Clean Enterprises & Umair Traders were responsive as per evaluation criteria mentioned in the bidding document. Whereas M/s Medi Bridge was declared non-responsive as the firm did not fulfilled evaluation criteria clause No. 8,9 & 10, and M/s Bestech Enterprises was also non-responsive as the firm did not fulfilled clause # 6, 8, 9, 10 & 12 of compulsory parameters mentioned in the bid.

The samples quoted by the firms against the items were technically evaluated & checked the quality of the cloths. Comparative Statement / Technical evaluation report is as under.

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Description	Measurement	Specification / Colour	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
1	White Lattha	152 cm / 60" Width	100 % Cotton (without Starch)	1	M/s Kamran Enterprises	As per sample	Meter	Rejected	Poor quality
				2	M/s Mian & Co	As per sample	Meter	Rejected	Poor quality
				3	M/s Ever Clean Enterprises	Local	Meter	Accepted	
2	Green Lattha	152 cm / 60" Width	100 % Cotton (without Starch)	1	M/s Kamran Enterprises	As per sample	Meter	Rejected	Poor quality
				2	M/s Mian & Co	As per sample	Meter	Accepted	
				3	M/s Ever Clean Enterprises	Local	Meter	Rejected	Poor quality
				5	M/s Umair Traders		Meter	Accepted	
3	Doctor Towel	61 x 121 cm	-	1	M/s Kamran Enterprises	As per sample	Nos.	Rejected	Poor quality
				2	M/s Mian & Co	As per sample	Nos.	Accepted	
				3	M/s Ever Clean Enterprises	Local	Nos.	Rejected	Poor quality
4	Green Dasotti	152 cm / 60" Width	100 % Cotton (without Starch)	1	M/s Kamran Enterprises	As per sample	Meter	Rejected	Poor quality
				2	M/s Mian & Co	As per sample	Meter	Rejected	Poor quality
				3	M/s Ever Clean Enterprises	Local	Meter	Accepted	
				5	M/s Umair Traders		Meter	Accepted	
5	Bed Sheet	152 x 253 cm / 60" x 100"	100 % Cotton (White) (without Starch) with hospital monogram	1	M/s Kamran Enterprises	As per sample	Nos.	Rejected	Poor quality
				2	M/s Mian & Co	As per sample	Nos.	Accepted	
				3	M/s Ever Clean Enterprises	Local	Nos.	Rejected	Poor quality
6	Malmal White	91 cm Width	100 % Cotton (White) (without Starch)	1	M/s Kamran Enterprises	As per sample	Meter	Rejected	
				2	M/s Mian & Co	As per sample	Meter	Accepted	
				3	M/s Ever Clean Enterprises	Local	Meter	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

2. Framework Contract for Purchase of Uniform for the Hospital Employees

Four firms participated in the tender of Uniform of Hospital Employee for the year 2022-2023. M/s Poyo Care & M/s Mian & Co was responsive as per evaluation criteria mentioned in the bidding document. Whereas M/s Samnan Enterprises was declared non-responsive as the firm did not fulfilled evaluation criteria clause No. 7 and M/s Umair Traders was declared non-responsive as the firm did not fulfilled evaluation criteria clause # 7 & 12 of compulsory parameters mentioned in the bid.

The samples quoted by the firms against the items were technically evaluated & checked the quality of the cloths. Comparative Statement / Technical evaluation report is as under.

Sr. No.	Employee's Designation	Specifications	Vendor No.	Vendor Name	Brand	Technical Scrutiny Accepted / Rejected	Reason of Rejection
1	Ward Boy (Small , Medium, Large, Extra Large) Color Khaki	Color: Khaki Cloth: Twill (Superior quality). Bush Coat: Full sleeve, cuff buttons, front three pockets with monogram of the hospital. Trousers: Two side pocket, one pocket behind	2	M/s Poyocare	As per Sample	Accepted	
			4	M/s Mian & Co	Super Quality	Accepted	
2	Sweeper Male (Small , Medium, Large, Extra Large) Color Blue	Color: Dark Blue Cloth: Twill (Superior quality). Bush Coat: Full sleeve, cuff buttons, front three pockets with monogram of the hospital. Trousers: Two side pocket, one pocket behind	2	M/s Poyocare	As per Sample	Accepted	
			4	M/s Mian & Co	Super Quality	Accepted	
3	Sweeper Female (Small , Medium, Large, Extra Large) Color Blue	Color: Dark Blue Cloth: KT (Superior quality). Shirt: Full sleeve, Knee Length, cuff buttons, Two Side Pockets (Monogram of the hospital) & Shalwar. Scarf: 1 1/2 meter x 1 meter	2	M/s Poyocare	As per Sample	Accepted	
			4	M/s Mian & Co	Super Quality	Accepted	
4	Aya (Small , Medium, Large, Extra Large) Color Khaki	Color: Khaki Cloth: KT (Superior quality). Shirt: Full sleeve, Knee Length, cuff buttons, Two Side Pockets (Monogram of the hospital) & Shalwar. Scarf: 1 1/2 meter x 1 meter	2	M/s Poyocare	As per Sample	Accepted	
			4	M/s Mian & Co	Super Quality	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Employee's Designation	Specifications	Vendor No.	Vendor Name	Brand	Technical Scrutiny Accepted / Rejected	Reason of Rejection
5	Security Guard Male (Small , Medium, Large, Extra Large) Color Black	Color: Black Cloth: Twill (superior quality).Shirt: Full sleeve, cuff buttons, front two pockets with flap & shoulders (Monogram of the hospital).Pent: Two side pocket, one pocket behind. Cap: P-Cap black color Belt: Black color	2	M/s Poyocare	As per Sample	Accepted	
			4	M/s Mian & Co	Super Quality	Accepted	
6	Security Guard Female (Small , Medium, Large,Extra Large) Color Black	Color: Black Cloth: KT superior quality. Shirt: Full sleeve, Knee Length, cuff buttons, Two Side Pockets (Monogram of the hospital) &Shalwar. Scarf: Black color 1 1/2 meter x 1 meter Cap: P-Cap Black color, Belt: Black color.	2	M/s Poyocare	As per Sample	Accepted	
			4	M/s Mian & Co	Super Quality	Accepted	
7	Structure Bearer (Small , Medium, Large,Extra Large) Color Gray	Color: Gray Cloth: Twill (Superior quality). Bush Coat: Full sleeve, cuff buttons, front three pockets with monogram of the hospital. Trousers: Two side pocket, one pocket behind	2	M/s Poyocare	As per Sample	Accepted	
			4	M/s Mian & Co	Super Quality	Accepted	

3. Framework Contract for Purchase of Stationery Items

Four firms participated in the tender of Stationery Printing Items for the year 2022-2023. Three firms i.e. M/s Kamran Enterprises, M/s Mian & Co & M/s Ever Clean Enterprises were responsive as per evaluation criteria mentioned in the bidding document. Whereas M/s Nazam Trading & Co was non-responsive as the firm did not fulfilled clause # 7 & 11 of compulsory parameters mentioned in the bid. The samples quoted by the firms against the items were technically evaluated & checked the quality. Comparative Statement / Technical evaluation report is as under.

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
1	Daily Attendance Register 100 pages (Hard Binding) 80 gm 8" x 12"	3	M/s Ever Clean Enterprises	Hero	Reg.	Accepted	
		4	M/s Mian & Co	Jet	Reg.	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
2	Receipt Register 400 Pages (Hard Binding) 68 gm 8" x 12"	3	M/s Ever Clean Enterprises	Hero	Books	Accepted	
		4	M/s Mian & Co	Hero	Books	Accepted	
3	Dispatch Register 200 Pages (Hard Binding) 68 gm 8" x 12"	3	M/s Ever Clean Enterprises	Hero	Reg.	Accepted	
		4	M/s Mian & Co	Hero	Reg.	Accepted	
4	Despatch Register 400 Pages (Hard Binding) 68 gm 8" x 12"	3	M/s Ever Clean Enterprises	Hero	Reg.	Accepted	
		4	M/s Mian & Co	Hero	Reg.	Accepted	
5	Register Ruled Offset Paper 200 Leaves (Hard Binding) 68 gm 7 1/4" x 11" x 1/2"	3	M/s Ever Clean Enterprises	Hero	Reg.	Accepted	
		4	M/s Mian & Co	Hero	Reg.	Accepted	
6	Register Ruled Offset Paper 100 Leaves (Hard Binding) 68 gm 7 1/4" x 11" x 1/2"	3	M/s Ever Clean Enterprises	Hero	Reg.	Accepted	
		4	M/s Mian & Co	Hero	Reg.	Accepted	
7	Stock Register (Lion Press) 500 Pages 80gm 8" x 12"	3	M/s Ever Clean Enterprises	Lion Press	Reg.	Accepted	
		4	M/s Mian & Co	Lion Press	Reg.	Accepted	
8	Stock Register (Lion Press) 1000 Pages 80gm 8" x 12"	3	M/s Ever Clean Enterprises	Lion Press	Reg.	Accepted	
		4	M/s Mian & Co	Lion Press	Reg.	Accepted	
9	Ball Point each (Dollar / Piano) Tip Size 0.8 mm Blue / Black / Red / Green	2	M/s Kamran Enterprises	Piano	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Dollar	Nos.	Accepted	
		4	M/s Mian & Co	Signature	Nos.	Accepted	
10	Blanco Fluid with Thinner 2 x 20 ml	3	M/s Ever Clean Enterprises	China	Nos.	Accepted	
		4	M/s Mian & Co	Pelikan	Nos.	Accepted	
11	Box File with Imported Clip Standard Size	2	M/s Kamran Enterprises	Shakar	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Ghuri	Nos.	Accepted	
		4	M/s Mian & Co	Local	Nos.	Accepted	
12	Carbon Paper (100 sheets) Standard size	4	M/s Mian & Co	Ruby	Pad	Accepted	
13	Common Pin Standard size No. 2, 50 gm Pkt	2	M/s Kamran Enterprises	Local	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
		4	M/s Mian & Co	China	Nos.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
14	Double Punch Machine Standard size	2	M/s Kamran Enterprises	Fuji	Nos.	Accepted	
15	Foot Scale Steel 12 Inch.	2	M/s Kamran Enterprises	China	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
		4	M/s Mian & Co	China	Nos.	Accepted	
16	Fluorescent Marker	3	M/s Ever Clean Enterprises	Shari	Nos.	Accepted	
		4	M/s Mian & Co	Sensa	Nos.	Accepted	
17	Ink. Blue / Black / Red 30 ml	3	M/s Ever Clean Enterprises	Dollar	Nos.	Accepted	
		4	M/s Mian & Co	Best Quality	Nos.	Accepted	
18	Ink. Stamp Pad / Endorsing Ink. 28.5ml	3	M/s Ever Clean Enterprises	Youth	Nos.	Accepted	
		4	M/s Mian & Co	Sensa	Nos.	Accepted	
19	Lead Pencil HB	2	M/s Kamran Enterprises	Fish	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Triluxe	Nos.	Accepted	
		4	M/s Mian & Co	Golden	Nos.	Accepted	
20	Laces Tag a). Large 15.5" x 100 (Gochi) b). Small 4.5" x 100 (Gochi)	2	M/s Kamran Enterprises	Local	Gochi	Accepted	
		3	M/s Ever Clean Enterprises	Local	Gochi	Accepted	
		4	M/s Mian & Co	Local	Gochi	Accepted	
		2	M/s Kamran Enterprises	Local	Gochi	Accepted	
		3	M/s Ever Clean Enterprises	Local	Gochi	Accepted	
		4	M/s Mian & Co	Local	Gochi	Accepted	
21	Marker White Board / Dry Erasable 1.5 mm	3	M/s Ever Clean Enterprises	Dollar	Nos.	Accepted	
		4	M/s Mian & Co	Piano	Nos.	Accepted	
22	Paper Cutter Steel with Blade	2	M/s Kamran Enterprises	China	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	China	Nos.	Accepted	
		4	M/s Mian & Co	China	Nos.	Accepted	
23	Pen Holder (Best Quality)	4	M/s Mian & Co	Dux	Nos.	Accepted	
24	Paper Clip Large 100 in each box 30 mm	2	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
		4	M/s Mian & Co	China	Nos.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
25	Rubber Soft (Eraser) Local	3	M/s Ever Clean Enterprises	Sensa	Nos.	Accepted	
26	Stamp Pad Standard size 3M	3	M/s Ever Clean Enterprises	Crystal	Nos.	Accepted	
		4	M/s Mian & Co	Dollar	Nos.	Accepted	
27	Shorthand Note Book 100 Pages 60gm Paper	2	M/s Kamran Enterprises	As per sample	Books	Accepted	
		3	M/s Ever Clean Enterprises	Best Quality	Books	Accepted	
		4	M/s Mian & Co	Local	Books	Accepted	
28	Stapler Pin Standard size Packet (24/6)	2	M/s Kamran Enterprises	Kangro	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Rnext	Nos.	Accepted	
		4	M/s Mian & Co	Dollar	Nos.	Accepted	
29	Stapler Pin Machine Standard size	4	M/s Mian & Co	Fuji	Nos.	Accepted	
30	Scotch Tape 1" x 72 Meter	2	M/s Kamran Enterprises	Star Plus	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Star	Nos.	Accepted	
		4	M/s Mian & Co	Local	Nos.	Accepted	
31	Glue Stick 21gm	2	M/s Kamran Enterprises	Piano	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Dollar	Nos.	Accepted	
		4	M/s Mian & Co	Sensa	Nos.	Accepted	
32	Sharpener	3	M/s Ever Clean Enterprises	Dux	Nos.	Accepted	
		4	M/s Mian & Co	Bahadur	Nos.	Accepted	
33	Marker Permanent 2 mm Green / Blue / Red / Black	2	M/s Kamran Enterprises	Piano	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Dollar	Nos.	Accepted	
		4	M/s Mian & Co	Piano	Nos.	Accepted	
34	Calculator (12 Digit Best quality)	4	M/s Mian & Co	Citizen	Nos.	Accepted	
35	Log Book for Vehicles (200 Pages) 6" x 8" 80 gm paper	2	M/s Kamran Enterprises	As per sample	Books	Accepted	
		3	M/s Ever Clean Enterprises	Best Quality	Books	Accepted	
		4	M/s Mian & Co	Local	Books	Accepted	
36	Paper Tape (1 inch)	2	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
		4	M/s Mian & Co	Local	Nos.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
37	Paper 8 1/2" x 11" 80gm (Packages) 500 Sheets	2	M/s Kamran Enterprises	Copymate Plus	Rims	Accepted	
		3	M/s Ever Clean Enterprises	Copymate Plus	Rims	Accepted	
		4	M/s Mian & Co	Copymate Plus	Rims	Accepted	
38	Paper 8 1/2" x 13" 80gm (Packages) 500 Sheets	2	M/s Kamran Enterprises	Copymate Plus	Rims	Accepted	
		3	M/s Ever Clean Enterprises	Copymate Plus	Rims	Accepted	
		4	M/s Mian & Co	Copymate Plus	Rims	Accepted	
39	Paper 8 1/2" x 11" 70gm (Packages) 501 Sheets	2	M/s Kamran Enterprises	Copymate Plus	Rims	Accepted	
		3	M/s Ever Clean Enterprises	Copymate Plus	Rims	Accepted	
		4	M/s Mian & Co	Copymate Plus	Rims	Accepted	
40	Thumb Pin (Standard size)	2	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Best Quality	Nos.	Accepted	
		4	M/s Mian & Co	China	Nos.	Accepted	
41	Single Punch Machine	3	M/s Ever Clean Enterprises	Fuji	Nos.	Accepted	
42	Correction Pen (Best Quality)	2	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Best Quality	Nos.	Accepted	
		4	M/s Mian & Co	China	Nos.	Accepted	
43	Staple Machine Large size China Best Quality	3	M/s Ever Clean Enterprises	Fuji	Nos.	Accepted	
44	File Flapper	2	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Best Quality	Nos.	Accepted	
		4	M/s Mian & Co	Local	Nos.	Accepted	
45	Stapler Pin Large Size	3	M/s Ever Clean Enterprises	Kangro	Nos.	Accepted	
		4	M/s Mian & Co	Dollar	Nos.	Accepted	
46	Pointer soft liner	3	M/s Ever Clean Enterprises	Dollar	Nos.	Accepted	
		4	M/s Mian & Co	Dollar	Nos.	Accepted	
47	Uniball Gel Pen	2	M/s Kamran Enterprises	Piano	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Dollar	Nos.	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
48	Pin Opener (Best Quality)	2	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	China	Nos.	Accepted	
		4	M/s Mian & Co	Best Quality	Nos.	Accepted	

4. Framework Contract for Purchase of Stationery Printing Items

Three firms participated in the tender of Stationery items for the year 2022-2023. Three firms i.e. M/s Mayo Art Press, M/s Wahdat Printing & Al Mehtab Enterprises were responsive as per evaluation criteria mentioned in the bidding document. Comparative Statement / Technical evaluation report is as under.

Sr. No.	Items Name	Specification	Vendor No.	Vendor Name	Technical Scrutiny (Accepted / Rejected)	Rejection of Reason
1	Stationery Printing with Paper 68 Grams Paper 200 Leaves Both Sides (Hard Binding) Register (as per sample)	8.5" X 13"	2	M/s Wahdat Printing	Accepted	
2	68 Grams Paper 100 Sheet Pad Single Side (As Per Sample)	8.5" X 13"	2	M/s Wahdat Printing	Accepted	
3	68 Grams Paper 100 Sheet Pad Single Side (As Per Sample)	8.5" X 11"	2	M/s Wahdat Printing	Accepted	
			3	M/s Al Mehtab Printers	Accepted	
4	68 Grams Paper 100 Sheet Pad Both Side (As Per Sample)	8.5" X 11"	2	M/s Wahdat Printing	Accepted	
5	Receipt Book (Set of 2) 68 Gram 100 Set each book with binding (as per sample)	8.5" X 5.5"	2	M/s Wahdat Printing	Accepted	
6	Receipt Book (Set of 3) 68 Grams Paper 50 Set each book with binding (as per sample)	8.5" X 5.5"	2	M/s Wahdat Printing	Accepted	
7	210 Grams Art Card (Both Side) As Per Sample Compatible Card	8" X 6"	2	M/s Wahdat Printing	Accepted	
8	68 Grams Paper 100 Sheet Single Side Pad As Per Sample C.B.C Pads	6" X 8.5"	2	M/s Wahdat Printing	Accepted	
9	68 Grams Paper 100 Sheet single side (As Per Sample) Prescribed Pads	5" X 8"	2	M/s Wahdat Printing	Accepted	
			3	M/s Al Mehtab Printers	Accepted	
10	68 Grams Paper 100 Sheet both side (As Per Sample)	10" X 15"	2	M/s Wahdat Printing	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Items Name	Specification	Vendor No.	Vendor Name	Technical Scrutiny (Accepted / Rejected)	Rejection of Reason
11	Envelop Brown					
	a). As per sample	8.5" x 10.5"	2	M/s Wahdat Printing	Accepted	
	b). As per sample	10.5" x 14.5"	2	M/s Wahdat Printing	Accepted	
	c). As per sample	14.5" x 17.5"	2	M/s Wahdat Printing	Accepted	
12	Indent Book 68 Grams Paper 100 Sheets in Each Book Hard Binding (Perforating)	8.5" X 13"	2	M/s Wahdat Printing	Accepted	
13	Inpatient File Cover with Clip 260 Grams Art Card	21" X 14"	2	M/s Wahdat Printing	Accepted	
14	File Cover (Office) 260 Grams Art Card	21" X 14"	2	M/s Wahdat Printing	Accepted	
			3	M/s Al Mehtab Printers	Accepted	
15	68 gm Paper 100 sheet pad (both side) printing	8.5" X 13"	2	M/s Wahdat Printing	Accepted	
			3	M/s Al Mehtab Printers	Accepted	
16	Printing of Admission Slip Loose Pack (Packet of 500's Pages) 80 gm Paper (as per sample) (Imported Paper)	8 1/2" x 6 1/2"	1	M/s Mayo Art Press	Accepted	
			2	M/s Wahdat Printing	Accepted	
17	O.T Register 200 Leaves Hard Binding 68 gm Paper	8.5" x 13"	2	M/s Wahdat Printing	Accepted	
18	68 gm Paper 100 sheet pad (single side)	8.5" x 5.5"	2	M/s Wahdat Printing	Accepted	
			3	M/s Al Mehtab Printers	Accepted	
19	68 gm Paper 100 sheet pad (set of 2) Carbonized copy	8.5" x 11"	2	M/s Wahdat Printing	Accepted	
20	80 gm paper Anesthesia preoperative evaluation Performa (both side) Printing	18" x 11"	2	M/s Wahdat Printing	Accepted	
21	ACR Form Non Gazetted (both side printing)	8.5"x 13"	2	M/s Wahdat Printing	Accepted	
22	ACR Form Gazetted (both side printing)	8.5"x 13"	2	M/s Wahdat Printing	Accepted	
23	Laundry Book Single side perforating hard binding	8.5"x 11"	2	M/s Wahdat Printing	Accepted	
			3	M/s Al Mehtab Printers	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Items Name	Specification	Vendor No.	Vendor Name	Technical Scrutiny (Accepted / Rejected)	Rejection of Reason
24	Discharge Copies Cardiac 4 color printing (30 pages)	5" X 8"	2	M/s Wahdat Printing	Accepted	
25	Development Copies 4 color printing (30 pages)	5" X 8"	2	M/s Wahdat Printing	Accepted	
26	EYE OPD Card single side printing 210 gm art card	4" x 4"	2	M/s Wahdat Printing	Accepted	
27	Sarai Pads 68 gm 100 sheets pads single size	4"x3 1/2"	2	M/s Wahdat Printing	Accepted	
28	68 gm paper 100 sheet pad set of 2 carbonized copy	8.5" x 11"	2	M/s Wahdat Printing	Accepted	
29	Compatibility Card 210 gm Art Card	8x6"	2	M/s Wahdat Printing	Accepted	
30	Neuromuscular Disorders Book 4 color printing (30 pages)	5x8"	2	M/s Wahdat Printing	Accepted	
31	Epilepsy Books 4 color printing (30 pages)	5x8"	2	M/s Wahdat Printing	Accepted	
32	BMT Chart 210 gm Art Card single side printing	24x18"	2	M/s Wahdat Printing	Accepted	
33	History sheet 80gm paper both side printing	17x11"	2	M/s Wahdat Printing	Accepted	
34	Printing of Labels single side for NNU 80 gm paper 100 sheet pad	5x3"	2	M/s Wahdat Printing	Accepted	
35	Blood group Sticker, for labeling of blood bags (as per sample)		2	M/s Wahdat Printing	Accepted	

5. Framework Contract for Purchase of General Store Items

Eight firms participated in the tender of General items for the year 2022-2023. M/s Kamran Enterprises, M/s Mian & Co, M/s Ever Clean Enterprises, M/s Sakardu Surgical Supplies, M/s FAB Health Care & M/s P.S. Enterprises were responsive as per evaluation criteria mentioned in the bidding document. Whereas M/s Nazam Trading & Co was declared non-responsive as the firm did not fulfilled evaluation criteria clause No. 7 & 11, and M/s Siddiquie & Brothers Chemicals were non-responsive as the firm did not fulfilled clause # 12 of compulsory parameters mentioned in the bid.

The quoted brands against each item were evaluated by the committee on the basis of quality of the product and previous experience. Comparative Statement / Technical evaluation report is as under.

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
1	Bath Soap (Branded) 25 gram	1	M/s Kamran Enterprises	Hoor	Nos.	Accepted	
		2	M/s Mian & Con	Opal	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Ultra	Nos.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
2	Brush with Stick (to remove insect net) Handle 6' Long 3/4" & 1/2" dia of stech	1	M/s Kamran Enterprises		Nos.	Accepted	
		2	M/s Mian & Con	Local	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	China	Nos.	Accepted	
3	a). Large Brooms Stick 36" Long	1	M/s Kamran Enterprises		Kgs.	Accepted	
		2	M/s Mian & Con	Local	Kgs.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Kgs.	Accepted	
	b). Guli & Ring 18" Long	1	M/s Kamran Enterprises		Nos.	Accepted	
		2	M/s Mian & Con	Local	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
4	Dry Battery Cell Large Size 1.5 V (Torch Cell) Size D (Branded)	1	M/s Kamran Enterprises	Panasonic	Nos.	Accepted	
		2	M/s Mian & Con	Toshiba	Nos.	Accepted	
5	Dry Battery Cell Medium size 1.5 V Size C (Branded)	1	M/s Kamran Enterprises	Panasonic	Nos.	Accepted	
		2	M/s Mian & Con	Toshiba	Nos.	Accepted	
6	Dry Battery Cell Pencil size 1.5 Volt AA size (Branded)	1	M/s Kamran Enterprises	Panasonic	Nos.	Accepted	
		2	M/s Mian & Con	Toshiba	Nos.	Accepted	
7	Dry Battery Cell Pencil size 1.5 Volt size AAA (Branded)	1	M/s Kamran Enterprises	Panasonic	Nos.	Accepted	
		2	M/s Mian & Con	Toshiba	Nos.	Accepted	
8	Dust Bin (Plastic) Dia Upper 8 1/2" x 9 1/2"	1	M/s Kamran Enterprises	Power	Nos.	Accepted	
		2	M/s Mian & Con	AP	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
9	Floor Polish (Tin pack) 3 Kg	2	M/s Mian & Con	Kiwi	Tin	Accepted	
10	Liquid Soap for Hand soap	1	M/s Kamran Enterprises	Z Clean	Liter	Accepted	
		2	M/s Mian & Con	Lana	Liter	Rejected	
		3	M/s Ever Clean Enterprises	Ultra Clean	Liter	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
11	Liquid Soap for floor wash	1	M/s Kamran Enterprises	Z Clean	Liter	Accepted	
		2	M/s Mian & Con	Tyfone	Liter	Rejected	
		3	M/s Ever Clean Enterprises	Ultra Medi Clean	Liter	Accepted	
12	Measuring Tape Plastic / Fiber Local 60" Length	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	China	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
13	Moping Duster Towel Cloth (20" x 40") Per Kg	1	M/s Kamran Enterprises	As per sample	Kgs.	Accepted	
		2	M/s Mian & Con	Best Quality	Kgs.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Kgs.	Accepted	
14	Pad Lock 50mm Tri Circle (China)	2	M/s Mian & Con	Tri Circle	Nos.	Accepted	
15	Phenyl White Perfumed with Insecticidal Power (Branded) 3 Liter	2	M/s Mian & Con	Z Clean	Bottle	Accepted	
		3	M/s Ever Clean Enterprises	Ultra Clean	Bottle	Accepted	
16	Plastic Bucket Large Size Capacity 40 Liter Red colours with side handle and lid. 40 liter	2	M/s Mian & Con	Modern	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Poly King	Nos.	Accepted	
17	Plastic Lota (Large)	2	M/s Mian & Con	Golden	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
18	Plastic Pipe for watering best quality Dia 3/4" x 3 mm	1	M/s Kamran Enterprises	As per sample	Feet	Accepted	
		2	M/s Mian & Con	Modern	Feet	Accepted	
19	Polykart Container Garbage Collection	2	M/s Mian & Con	Dura	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Dura	Nos.	Accepted	
20	Pujara Cloth (92cm x 30cm)	1	M/s Kamran Enterprises	As per sample	Meter	Accepted	
		2	M/s Mian & Con	Best Quality	Meter	Rejected	
		3	M/s Ever Clean Enterprises	Local	Meter	Rejected	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
21	Rubber Slippers / (Nylon) Softy (Local) all sizes a). Male b). Female	1	M/s Kamran Enterprises	Bata	Nos.	Accepted	Sample Sample
		2	M/s Mian & Con	Titoo	Nos.	Accepted	
		1	M/s Kamran Enterprises	Bata	Nos.	Accepted	
		2	M/s Mian & Con	Titoo	Nos.	Accepted	
22	Soap Dispenser (Dlosdi, Spain)	1	M/s Kamran Enterprises	As per sample	Nos.	Rejected	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
23	Table Duster 27" x 24"	1	M/s Kamran Enterprises	As per sample	Dozen	Accepted	
		2	M/s Mian & Con	Best Quality	Dozen	Accepted	
		3	M/s Ever Clean Enterprises	Local	Dozen	Accepted	
24	Tissue a). Tissue Roll 4" (24 meters)	1	M/s Kamran Enterprises	Royal Classic	Roll	Accepted	
		2	M/s Mian & Con	Rose Petal	Roll	Accepted	
		3	M/s Ever Clean Enterprises	Rose Petal	Roll	Accepted	
	b). Tissue Paper Box 50 leaves pack	1	M/s Kamran Enterprises	Royal Classic	Box	Accepted	
		2	M/s Mian & Con	Rose Petal	Box	Accepted	
		3	M/s Ever Clean Enterprises	Rose Petal	Box	Accepted	
	c). N-Fold Tissue	1	M/s Kamran Enterprises	Royal Classic	Pack	Accepted	
		2	M/s Mian & Con	Rose Petal	Pack	Accepted	
		3	M/s Ever Clean Enterprises	Rose Petal	Pack	Accepted	
25	Thermometer (Clinical) C° & F° Both Oral	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	China	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	China	Nos.	Rejected	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
26	Toilet Brush for Cleaning	1	M/s Kamran Enterprises	Local	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	China	Nos.	Accepted	
27	Toilet Cleaner (500 ml Bottle)	1	M/s Kamran Enterprises	Z Clean	Bottle	Accepted	
		2	M/s Mian & Con	Tyfone	Bottle	Accepted	
		3	M/s Ever Clean Enterprises	Ultra Clean	Bottle	Accepted	
28	Wiper with Stick, Stain less Steel Stick Height 40" x 3/4" Blade 2.5" x 16" x 0.5"	2	M/s Mian & Con	Ringo	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Jazz	Nos.	Accepted	
29	Joki Machine Bobbin	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Local	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
30	Belt for Joki Sewing Machine (41 No.)	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Local	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
31	Joki Sewing Machine Needles a). 16 No.	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Local	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	China	Nos.	Accepted	
	b). 18 No.	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Local	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	China	Nos.	Accepted	
32	Machine Oil (for Joki sewing machine) White Oil	1	M/s Kamran Enterprises	As per sample	Liter	Accepted	
		2	M/s Mian & Con	China	Liter	Accepted	
		3	M/s Ever Clean Enterprises	Local	Liter	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
33	Tailoring Chalk (Kharia)	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	China	Nos.	Accepted	
34	Masking Tape Roll	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
35	Thread Cone 160 meter (all color) Cotton (Asli –Pari)	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
36	Polythene Bag (after approval of sample) 27" x 32	2	M/s Mian & Con	Best Quality	Kgs.	Rejected	
		3	M/s Ever Clean Enterprises	Local	Kgs.	Accepted	
		6	M/s FAB Health Care	-	Kgs.	Accepted	
37	Polythene Bag (after approval of sample) 19" x 24"	2	M/s Mian & Con	Best Quality	Kgs.	Rejected	
		3	M/s Ever Clean Enterprises	Local	Kgs.	Accepted	
		6	M/s FAB Health Care		Kgs.	Accepted	
38	Yellow Bags (31" x 36")	2	M/s Mian & Con	Best Quality	Kgs.	Rejected	
		3	M/s Ever Clean Enterprises	Local	Kgs.	Accepted	
		6	M/s FAB Health Care	-	Kgs.	Accepted	
39	Sharp Container (after approval of sample)	1	M/s Kamran Enterprises	As per sample	Nos.	Rejected	Quality not good
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
40	Bulb for Laryngoscope (White light)						
	a). Small Base	1	M/s Kamran Enterprises	Best Quality	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Rejected	
	b). Large Base	1	M/s Kamran Enterprises	Best Quality	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Rejected	
41	Abrasive Skin Cleaning Paste 114 gm	5	M/s Skardu Surgical Supplies	NeurPrep, EF Medical Srl, Italy	Nos.	Accepted	
42	B.P. Cuff (with Bladder) (Local) (Double Tubing)						
	a). Neonate	1	M/s Kamran Enterprises	Cartiza	Nos.	Accepted	
		2	M/s Mian & Con	Cartiza	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Cartiza	Nos.	Accepted	
	b). Infant	1	M/s Kamran Enterprises	Cartiza	Nos.	Accepted	
		2	M/s Mian & Con	Cartiza	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Cartiza	Nos.	Accepted	
	c). Child (18.4 - 26.7 cm)	1	M/s Kamran Enterprises	Cartiza	Nos.	Accepted	
		2	M/s Mian & Con	Cartiza	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Cartiza	Nos.	Accepted	
	d). Adult	1	M/s Kamran Enterprises	Cartiza	Nos.	Accepted	
		2	M/s Mian & Con	Cartiza	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Cartiza	Nos.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
43	B.P. Cuff (with Bladder) (Local) (Single Tubing)						
	a). Neonate	1	M/s Kamran Enterprises	Cartiza	Nos.	Accepted	
		2	M/s Mian & Con	Cartiza	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Cartiza	Nos.	Accepted	
	b). Infant	1	M/s Kamran Enterprises	Cartiza	Nos.	Accepted	
		2	M/s Mian & Con	Cartiza	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Cartiza	Nos.	Accepted	
	c). Child 918.4 - 26.7 cm)	1	M/s Kamran Enterprises	Cartiza	Nos.	Accepted	
		2	M/s Mian & Con	Cartiza	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Cartiza	Nos.	Accepted	
	d). Adult	1	M/s Kamran Enterprises	Cartiza	Nos.	Accepted	
		2	M/s Mian & Con	Cartiza	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Cartiza	Nos.	Accepted	
44	EEG Paste (Ten-20 TM) Conductive USA (228 gm)	5	M/s Skardu Surgical Supplies	AC Cream, EF Medical Srl, Italy	Nos.	Accepted	
45	Laryngoscope with four Blade Curved (Local) Size 00, 0, 1, 2, 3.	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Rejected	
46	Laryngoscope with four Blade Straight (Local) Size 00, 0, 1, 2, 3.	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Rejected	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
47	Macintosh (rubber sheet) Autoclavable	1	M/s Kamran Enterprises	As per sample	Meter	Accepted	
		2	M/s Mian & Con	Best Quality	Meter	Accepted	
		3	M/s Ever Clean Enterprises	Local	Meter	Accepted	
48	Q-Matic Ticket Roll (2000 Tickets)	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	Local	Nos.	Accepted	
49	Silicon suction tube autoclavable (Fazzini, Italy) per meter	1	M/s Kamran Enterprises	Italy	Nos.	Rejected	
		2	M/s Mian & Con	Italy	Nos.	Rejected	
		3	M/s Ever Clean Enterprises	China	Nos.	Rejected	
50	Ultra Sound Gel with applicator (Local) 5 liter / can	1	M/s Kamran Enterprises	Aqua	Cans	Rejected	
		2	M/s Mian & Con	Fisher	Cans	Accepted	
		3	M/s Ever Clean Enterprises	Ultra Sonic Gel	Cans	Rejected	
		5	M/s Skardu Surgical Supplies	Aquasonic, Parker Laboratories Inc., USA	Cans	Accepted	
		8	M/s P.S Enterprises	Aqua Flex	1x5 liter / bottle	Rejected	
51	EMG Needle (all sizes)	3	M/s Ever Clean Enterprises	Teca Elite	Pack	Accepted	
52	Cable Knot (all sizes)	1	M/s Kamran Enterprises	As per sample	Nos.	Accepted	
		2	M/s Mian & Con	Best Quality	Nos.	Accepted	
		3	M/s Ever Clean Enterprises	China	Nos.	Accepted	
53	Laundry Items: Chlorine Bleach (35 liters / Can)	1	M/s Kamran Enterprises	As per sample	Cans	Accepted	
		3	M/s Ever Clean Enterprises	Ultra Hypro	Cans	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Name	Vendor No.	Vendor Name	Quoted Brand	Quoted Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
54	Touch Softener (20 liters / Can)	1	M/s Kamran Enterprises	As per sample	Cans	Accepted	
		3	M/s Ever Clean Enterprises	Ultra Soft	Cans	Accepted	
55	Detergent Powder (15 Kg / Pail)	1	M/s Kamran Enterprises	As per sample	Pails	Accepted	
		3	M/s Ever Clean Enterprises	Ultra Tergitol	Pails	Accepted	
56	Liquid Laundry Soap (30 liters / Can)	1	M/s Kamran Enterprises	As per sample	Cans	Accepted	
		3	M/s Ever Clean Enterprises	Ultra Wash	Cans	Accepted	

6. Framework Contract for Purchase of Maintenance Items

Four firms participated in the tender of Maintenance items for the year 2022-2023. Three firms i.e. M/s Kamran Enterprises, M/s Mian & Co & M/s Ever Clean Enterprises were responsive as per evaluation criteria mentioned in the bidding document. Whereas M/s Nazam Trading & Co was non-responsive as the firm did not fulfilled clause # 7 & 11 of compulsory parameters mentioned in the bid.

The quoted brands against each item were evaluated by the committee on the basis of quality of the product. Comparative Statement / Technical evaluation report is as under.

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
1	Electric Items LED Bulb (10 Watt)	2	M/s Ever Clean Enterprises	Philips	No.	Accepted	
		3	M/s Kamran Enterprises	Philips	No.	Accepted	
		4	M/s Mian & Co	Philips	No.	Accepted	
2	Two Pin Socket Piano (06 amp)	2	M/s Ever Clean Enterprises	Ittefaq	No.	Accepted	
		3	M/s Kamran Enterprises	Ittefaq	No.	Accepted	
3	Fan Capacitor (2.5 uF)	4	M/s Mian & Co	Ittefaq	No.	Accepted	Fitting problem
		2	M/s Ever Clean Enterprises	Fuji	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Rejected	
		4	M/s Mian & Co	Fuji	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
4	Fan Capacitor (3.5 uF)	2	M/s Ever Clean Enterprises	Fuji	No.	Accepted	
		3	M/s Kamran Enterprises	Fuji	No.	Accepted	
		4	M/s Mian & Co	Fuji	No.	Accepted	
5	Male Female Shoe (5 Amp)	2	M/s Ever Clean Enterprises	Brothers	No.	Accepted	Fitting problem
		3	M/s Kamran Enterprises	Fuji	No.	Rejected	
		4	M/s Mian & Co	Brothers	No.	Accepted	
6	Insect Killer Rod (1 1/2 Ft)	2	M/s Ever Clean Enterprises	Local	Rod	Accepted	Fitting problem
		3	M/s Kamran Enterprises	Brothers	Rod	Rejected	
		4	M/s Mian & Co	China	Rod	Accepted	
7	Insect Killer Rod (2 Ft)	2	M/s Ever Clean Enterprises	Local	Rod	Accepted	Fitting problem
		3	M/s Kamran Enterprises	Local	Rod	Rejected	
		4	M/s Mian & Co	China	Rod	Accepted	
8	Fan Dimmer (220 V)	2	M/s Ever Clean Enterprises	Pak	No.	Accepted	Fitting not proper
		3	M/s Kamran Enterprises	Local	No.	Rejected	
		4	M/s Mian & Co	Local	No.	Accepted	
9	Bulb Sodium Pin Type (100 W)	2	M/s Ever Clean Enterprises	Philips	No.	Accepted	
		3	M/s Kamran Enterprises	Pak	No.	Accepted	
		4	M/s Mian & Co	Philips	No.	Accepted	
10	Three Phase Circuit Breaker (60 Amp)	2	M/s Ever Clean Enterprises	Terasaki	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Shinaider	No.	Accepted	Fitting not proper
		4	M/s Mian & Co	Terasaki	No.	Rejected	
11	Three Phase Circuit Breaker (100 Amp)	2	M/s Ever Clean Enterprises	Terasaki	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Shinaider	No.	Accepted	Fitting not proper
		4	M/s Mian & Co	Terasaki	No.	Rejected	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
12	LED BULB Ring Type (18W)	2	M/s Ever Clean Enterprises	Philips	No.	Accepted	Fitting not proper
		3	M/s Kamran Enterprises	Philips	No.	Accepted	
		4	M/s Mian & Co	Terasaki	No.	Rejected	
13	Insolation Tape 0.18mm*18mm*10Y) (Rola, Oska , HT)	2	M/s Ever Clean Enterprises	Nido	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	Philips	No.	Rejected	poor quality
		4	M/s Mian & Co	Osaka	No.	Accepted	
14	Single Pool Circuit Breaker (15,20, 30 Amp) Each	2	M/s Ever Clean Enterprises	Terasaki	No.	Accepted	
		3	M/s Kamran Enterprises	Terasaki	No.	Accepted	
		4	M/s Mian & Co	Shinaider	No.	Accepted	
15	Power Plug (20 Amp) Bush Hilife	2	M/s Ever Clean Enterprises	Bush Hilife	No.	Accepted	Fitting not proper
		3	M/s Kamran Enterprises	Terasaki	No.	Rejected	
		4	M/s Mian & Co	Bush Hilife	No.	Accepted	
16	Light Plug (10 Amp) Bush Hilife	2	M/s Ever Clean Enterprises	Bush Hilife	No.	Accepted	Fitting not proper
		3	M/s Kamran Enterprises	Terasaki	No.	Rejected	
		4	M/s Mian & Co	Bush Hilife	No.	Accepted	
17	Chocks (400 W)	2	M/s Ever Clean Enterprises	Philips	No.	Accepted	
		3	M/s Kamran Enterprises	Philips	No.	Accepted	
		4	M/s Mian & Co	Philips	No.	Accepted	
18	Dimmer Bush Hilife	2	M/s Ever Clean Enterprises	Bush Hilife	No.	Accepted	Fitting not proper
		3	M/s Kamran Enterprises	Bush	No.	Rejected	
		4	M/s Mian & Co	Bush Hilife	No.	Accepted	
19	Piano switch (13 Amp) No. Bush	2	M/s Ever Clean Enterprises	Bush	No.	Accepted	
		3	M/s Kamran Enterprises	Bush	No.	Accepted	
		4	M/s Mian & Co	Bush	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
20	Piano Switch (10 Amp) No. Bush	2	M/s Ever Clean Enterprises	Bush	No.	Accepted	
		3	M/s Kamran Enterprises	Bush	No.	Accepted	
		4	M/s Mian & Co	Bush	No.	Accepted	
21	Ring Type Holder (for Mercury Bulb) No.	2	M/s Ever Clean Enterprises	Local	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Philips	No.	Rejected	Fitting not proper
		4	M/s Mian & Co	Maqbool	No.	Accepted	
22	Wire 3/29 Single Core (Full Gauge) 90 Meter / Coil	2	M/s Ever Clean Enterprises	Newage	Coil	Accepted	
		3	M/s Kamran Enterprises	Azeez	Coil	Rejected	poor quality
		4	M/s Mian & Co	GM	Coil	Accepted	
23	Wire 7/29 Single Core (Full Gauge) 90 Meter / Coil	2	M/s Ever Clean Enterprises	Newage	Coil	Accepted	
		3	M/s Kamran Enterprises	Azeez	Coil	Rejected	poor quality
		4	M/s Mian & Co	GM	Coil	Accepted	
24	Wire 7/29 Two Core (Full Gauge) 90 Meter / Coil	2	M/s Ever Clean Enterprises	Newage	Coil	Accepted	
		3	M/s Kamran Enterprises	Azeez	Coil	Rejected	poor quality
		4	M/s Mian & Co	GM	Coil	Accepted	
25	Wire 40/76 three Core round (Full Gauge) 90 Meter / Coil	2	M/s Ever Clean Enterprises	Newage	Coil	Accepted	
		3	M/s Kamran Enterprises	Azeez	Coil	Rejected	poor quality
		4	M/s Mian & Co	GM	Coil	Accepted	
26	Wire 7/36 single Core (Full Gauge) 90 Meter / Coil	2	M/s Ever Clean Enterprises	Newage	Coil	Accepted	
		3	M/s Kamran Enterprises	Azeez	Coil	Rejected	poor quality
		4	M/s Mian & Co	GM	Coil	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
27	Wire 7/36 Two Core (Full Gauge) 90 Meter / Coil	2	M/s Ever Clean Enterprises	Newage	Coil	Accepted	poor quality
		3	M/s Kamran Enterprises	Azeez	Coil	Rejected	
		4	M/s Mian & Co	GM	Coil	Accepted	
28	Wire 23/76 Two Core (Full Gauge) 90 Meter / Coil	2	M/s Ever Clean Enterprises	Newage	Coil	Accepted	poor quality
		3	M/s Kamran Enterprises	Azeez	Coil	Rejected	
		4	M/s Mian & Co	GM	Coil	Accepted	
29	Wire 7/44 Single Core (Full Gauge) 90 Meter / Coil	2	M/s Ever Clean Enterprises	Newage	Coil	Accepted	poor quality
		3	M/s Kamran Enterprises	Azeez	Coil	Rejected	
		4	M/s Mian & Co	GM	Coil	Accepted	
30	Piano Switch (06 amp) No.	2	M/s Ever Clean Enterprises	Ittefaq	No.	Accepted	
		3	M/s Kamran Enterprises	Ittefaq	No.	Accepted	
		4	M/s Mian & Co	Ittefaq	No.	Accepted	
31	Three Pin Shoe (30 amp) Pursalin No.	2	M/s Ever Clean Enterprises	Brothers	No.	Accepted	
		3	M/s Kamran Enterprises	Ittefaq	No.	Accepted	
		4	M/s Mian & Co	Brothers	No.	Accepted	
32	Two Pin Shoe (05 amp) No.	2	M/s Ever Clean Enterprises	Ittefaq	No.	Accepted	
		3	M/s Kamran Enterprises	Ittefaq	No.	Accepted	
		4	M/s Mian & Co	Ittefaq	No.	Accepted	
33	Multi Plug Shoe Round Pin (15 amp) No.	2	M/s Ever Clean Enterprises	Ittefaq	No.	Accepted	
		3	M/s Kamran Enterprises	Ittefaq	No.	Accepted	
		4	M/s Mian & Co	Euro	No.	Accepted	
34	Nitto Tape 0.18 mm x 18 mm (No.)	2	M/s Ever Clean Enterprises	Gemsa	No.	Rejected	poor quality poor quality
		3	M/s Kamran Enterprises	Gemsa	No.	Rejected	
		4	M/s Mian & Co	As per Sample	No.	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
35	Electric Bell (Wireless)	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
36	Wire Clamp Steel	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	SJ	No.	Accepted	
37	Bell Push Button 10Amp	2	M/s Ever Clean Enterprises	Local	No.	Rejected	Fitting not proper Fitting not proper
		3	M/s Kamran Enterprises	Local	No.	Rejected	
		4	M/s Mian & Co	Ittefaq	No.	Accepted	
38	Rawal Plug () 14's Nos.	2	M/s Ever Clean Enterprises	Local	Packet	Accepted	
		3	M/s Kamran Enterprises	Local	Packet	Accepted	
		4	M/s Mian & Co	Local	Packet	Accepted	
39	Tube Light Starter S 10	2	M/s Ever Clean Enterprises	Phalips	No.	Accepted	
		3	M/s Kamran Enterprises	Phalips	No.	Accepted	
		4	M/s Mian & Co	Phalips	No.	Accepted	
40	Tube Light Starter S 02	2	M/s Ever Clean Enterprises	Philips	No.	Accepted	
		3	M/s Kamran Enterprises	Phalips	No.	Accepted	
		4	M/s Mian & Co	Phalips	No.	Accepted	
41	SGP Light ignator 400W	2	M/s Ever Clean Enterprises	Philips	No.	Accepted	
		3	M/s Kamran Enterprises	Phalips	No.	Accepted	
		4	M/s Mian & Co	Phalips	No.	Accepted	
42	Ducket (3/4) Per Length GM	2	M/s Ever Clean Enterprises	GM	10" / Length	Accepted	
		3	M/s Kamran Enterprises	GM	10" / Length	Accepted	
		4	M/s Mian & Co	GM	10" / Length	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
43	Light Plug (10 Amp) Bush	2	M/s Ever Clean Enterprises	Ittefaq	No.	Accepted	Fitting not proper
		3	M/s Kamran Enterprises	Ittefaq	No.	Accepted	
		4	M/s Mian & Co	Bush	No.	Rejected	
44	Holder (Ring Type)	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
45	Light Plug (Standard size)	2	M/s Ever Clean Enterprises	Local	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Akai	No.	Accepted	
		4	M/s Mian & Co	Akai	No.	Accepted	
46	Wire 70/76 Three Core (90 Meter)	2	M/s Ever Clean Enterprises	GM	Coil	Accepted	poor quality
		3	M/s Kamran Enterprises	Azeez	Coil	Rejected	
		4	M/s Mian & Co	GM	Coil	Accepted	
47	Power Plug Bush	2	M/s Ever Clean Enterprises	Bush	No.	Accepted	Fitting not proper
		3	M/s Kamran Enterprises	Azeez	No.	Rejected	
		4	M/s Mian & Co	Bush	No.	Accepted	
48	Bush Hilif Plat (03 Gang) Bush	2	M/s Ever Clean Enterprises	Bush	No.	Accepted	
		3	M/s Kamran Enterprises	Bush	No.	Accepted	
		4	M/s Mian & Co	Bush	No.	Accepted	
49	Bush Hilif Plat (04 Gang) Bush	2	M/s Ever Clean Enterprises	Bush	No.	Accepted	
		3	M/s Kamran Enterprises	Bush	No.	Accepted	
		4	M/s Mian & Co	Bush	No.	Accepted	
50	LED Tube Rod 16 to 20W	2	M/s Ever Clean Enterprises	Philips	Rod	Accepted	Fitting not proper
		3	M/s Kamran Enterprises	China	Rod	Rejected	
		4	M/s Mian & Co	Philips	Rod	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
51	LED Tube Rod 8W	2	M/s Ever Clean Enterprises	Philips	Rod	Accepted	
		3	M/s Kamran Enterprises	China	Rod	Rejected	
		4	M/s Mian & Co	Philips	Rod	Accepted	
52	LED Cilling Light 2*2 18 to 24W	2	M/s Ever Clean Enterprises	Philips	Set	Accepted	poor quality
		3	M/s Kamran Enterprises	China	Set	Rejected	
		4	M/s Mian & Co	Philips	Set	Accepted	
53	Light plug Clipser	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
54	Power plug clipser	2	M/s Ever Clean Enterprises	Sony	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
55	Plate 8 hole Clipser	2	M/s Ever Clean Enterprises	Moblith	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
56	Plate 10 hole Clipser	2	M/s Ever Clean Enterprises	Poland	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
57	Dimmer Clipser	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Hilife	No.	Rejected	
58	LED Light 3*3" 7W	2	M/s Ever Clean Enterprises	China	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	Philips	No.	Accepted	
		4	M/s Mian & Co	China	No.	Rejected	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
59	LED light 1*1 ft	2	M/s Ever Clean Enterprises	China	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	Philips	No.	Accepted	
		4	M/s Mian & Co	China	No.	Rejected	poor quality
60	LED light 1feet round	2	M/s Ever Clean Enterprises	China	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	Philips	No.	Accepted	
		4	M/s Mian & Co	China	No.	Rejected	poor quality
61	Led light 8"	2	M/s Ever Clean Enterprises	China	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	Philips	No.	Accepted	
		4	M/s Mian & Co	China	No.	Rejected	poor quality
62	LED Street light 250 w	2	M/s Ever Clean Enterprises	China	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	Philips	No.	Accepted	
		4	M/s Mian & Co	Philips	No.	Accepted	
63	Bracket Fan 18"	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
64	Carpenter item Silicon Tube (Large tube 310 ml)	2	M/s Ever Clean Enterprises	Ghani	Tube	Accepted	
		3	M/s Kamran Enterprises	Ghani	Tube	Accepted	
		4	M/s Mian & Co	Jimsa	Tube	Accepted	
65	Nail With Head (¾ " 17 No.)	2	M/s Ever Clean Enterprises	Local	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	
66	Nail With Head (¾" 20 No.)	2	M/s Ever Clean Enterprises	Local	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
67	Nail With Head (1 " 14 & 17 No.)	2	M/s Ever Clean Enterprises	China	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	
68	Nail With Head (1 ½" 14 No.)	2	M/s Ever Clean Enterprises	China	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	
69	Nail With Head (3 " 12 No.)	2	M/s Ever Clean Enterprises	China	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	
70	Nail Without Head (¾" 17 No.)	2	M/s Ever Clean Enterprises	China	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	
71	Nail Without Head (¾" 20 No.)	2	M/s Ever Clean Enterprises	China	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	
72	Nail Without Head (1 ½" 14 No.)	2	M/s Ever Clean Enterprises	China	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	
73	Nail Without Head (1 ½" 17 No.)	2	M/s Ever Clean Enterprises	Local	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	
74	Nail Without Head (3 " 12 No.)	2	M/s Ever Clean Enterprises	Local	Packets	Accepted	
		3	M/s Kamran Enterprises	Mughal	Packets	Accepted	
		4	M/s Mian & Co	Sharp	Packets	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
75	Steel Nail (1" 14 No.)	2	M/s Ever Clean Enterprises	Local	Packets	Accepted	
		3	M/s Kamran Enterprises	As per sample	Packets	Accepted	
		4	M/s Mian & Co	China	Packets	Accepted	
76	Steel Nail (1 ½ " 14 No.)	2	M/s Ever Clean Enterprises	Local	Packets	Accepted	
		3	M/s Kamran Enterprises	As per sample	Packets	Accepted	
		4	M/s Mian & Co	China	Packets	Accepted	
77	Steel Nail (2" 14 No.)	2	M/s Ever Clean Enterprises	Local	Packets	Accepted	
		3	M/s Kamran Enterprises	As per sample	Packets	Accepted	
		4	M/s Mian & Co	China	Packets	Accepted	
78	Steel Nail (3" 14 No.)	2	M/s Ever Clean Enterprises	Local	Packets	Accepted	
		3	M/s Kamran Enterprises	As per sample	Packets	Accepted	
		4	M/s Mian & Co	China	Packets	Accepted	
79	Rawl Bolt (1/4 Sooter)	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
80	Rawl Bolt (1 1/2 Sooter)	2	M/s Ever Clean Enterprises	Best Asia	No.	Accepted	
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
81	Lasani Board (4*8 Ft*3/4 inch ASP)	2	M/s Ever Clean Enterprises	HE	Sheet	Accepted	
		3	M/s Kamran Enterprises	As per sample	Sheet	Accepted	
		4	M/s Mian & Co	As per sample	Sheet	Accepted	
82	Iron Hacksaw Blade (Two Side)	2	M/s Ever Clean Enterprises	HE	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	Poland	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
83	Door Handle Lock White / Brown (Model 0223)	2	M/s Ever Clean Enterprises	IIL	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
84	Window Net Fiber (4 Ft. Roll)	2	M/s Ever Clean Enterprises	HE	Roll	Accepted	
		3	M/s Kamran Enterprises	China	Roll	Accepted	
		4	M/s Mian & Co	China	Roll	Accepted	
85	Window Net Fiber (5 Ft. Roll)	2	M/s Ever Clean Enterprises	HE	Roll	Accepted	
		3	M/s Kamran Enterprises	China	Roll	Accepted	
		4	M/s Mian & Co	China	Roll	Accepted	
86	Brown Glass (5 mm 7x4 sheet)	2	M/s Ever Clean Enterprises	HE	Sheet	Accepted	
		3	M/s Kamran Enterprises	Ghani	Sheet	Accepted	
		4	M/s Mian & Co	Ghani	Sheet	Accepted	
87	Brown Glass (5mm 3*7 Sheet)	2	M/s Ever Clean Enterprises	HE	Sheet	Accepted	
		3	M/s Kamran Enterprises	Ghani	Sheet	Accepted	
		4	M/s Mian & Co	Ghani	Sheet	Accepted	
88	Door closer (Standard size)	2	M/s Ever Clean Enterprises	HE	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
89	Aluminum Net Rubber	2	M/s Ever Clean Enterprises	MRS	Bundle	Accepted	
		3	M/s Kamran Enterprises		Bundle	Accepted	
		4	M/s Mian & Co		Bundle	Accepted	
90	Blind Paper	2	M/s Ever Clean Enterprises	Yaqoob	Roll	Accepted	
		3	M/s Kamran Enterprises	Local	Roll	Accepted	
		4	M/s Mian & Co	Local	Roll	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
91	Door Handle Lock Cylinder Type (Bras)	2	M/s Ever Clean Enterprises	Best Asia	No.	Accepted	
		3	M/s Kamran Enterprises	Bras	No.	Accepted	
		4	M/s Mian & Co	Bras	No.	Accepted	
92	Wooden screw (1" 7 No.) Packet	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Eagle	No.	Accepted	
		4	M/s Mian & Co	Eagle	No.	Accepted	
93	Wooden screw (1 ½" 8 No.) Packet	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Eagle	No.	Accepted	
		4	M/s Mian & Co	Eagle	No.	Accepted	
94	Steel Screw (1 ½" 12 No.) Packet	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Eagle	No.	Accepted	
		4	M/s Mian & Co	Eagle	No.	Accepted	
95	Steel Screw (3") Packet	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Eagle	No.	Accepted	
		4	M/s Mian & Co	Eagle	No.	Accepted	
96	Steel Nail (1" 17 No, 20 No.) Packet	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	Eagle	No.	Accepted	
		4	M/s Mian & Co	Eagle	No.	Accepted	
97	Double action Cabza (6 Inch) Stainless Steel	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Sitara	No.	Accepted	
		4	M/s Mian & Co	Sitara	No.	Accepted	
98	Steel Screw (½" 6 No.) Packet	2	M/s Ever Clean Enterprises	Local	Packet	Accepted	
		3	M/s Kamran Enterprises	Eagle	Packet	Accepted	
		4	M/s Mian & Co	Eagle	Packet	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
99	Steel Screw (1" 10 No.) Packet	2	M/s Ever Clean Enterprises	Local	Packet	Accepted	
		3	M/s Kamran Enterprises	Eagle	Packet	Accepted	
		4	M/s Mian & Co	Eagle	Packet	Accepted	
100	Stretcher wheel with frame (6 Inch) As per Sample	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
101	Stretcher wheel with frame (4 Inch) As per Sample	2	M/s Ever Clean Enterprises	Sony	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
102	Steel Screw (2" 8 No.) Packet	2	M/s Ever Clean Enterprises	Eagle	Packet	Accepted	
		3	M/s Kamran Enterprises	Eagle	Packet	Accepted	
		4	M/s Mian & Co	Eagle	Packet	Accepted	
103	Samad (1/4 LRT) Elephant Tins	2	M/s Ever Clean Enterprises	Eagle	Tin	Accepted	
		3	M/s Kamran Enterprises	Elephant Tins	Tin	Accepted	
		4	M/s Mian & Co	Elephant Tins	Tin	Accepted	
104	Pavet Machine (Bearing Type) No.	2	M/s Ever Clean Enterprises	Golden	Set	Accepted	
		3	M/s Kamran Enterprises	Local	Set	Accepted	
		4	M/s Mian & Co	Local	Set	Accepted	
105	Revolving Chair Wheel (2 Inch)	2	M/s Ever Clean Enterprises	Golden	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
106	Tower Bolt Aluminum 8"	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
	AC Fridge Item						
107	Filter Dryer for A/C (50 Gram)	2	M/s Ever Clean Enterprises	Local	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	Italy	No.	Accepted	
		4	M/s Mian & Co	Italy	No.	Accepted	
108	Starting Relay (1/5 HP)	2	M/s Ever Clean Enterprises	China	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	Cecop	No.	Accepted	
		4	M/s Mian & Co	Cecop	No.	Accepted	
109	Running Capacitor (50 uF)	2	M/s Ever Clean Enterprises	Cool	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	Amber	No.	Accepted	
		4	M/s Mian & Co	Amber	No.	Accepted	
110	Solder Rod Brass (Standard Size) in Kg	2	M/s Ever Clean Enterprises	Star	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
111	Welding Rod MS (12 No.)	2	M/s Ever Clean Enterprises	Star	Kg	Accepted	
		3	M/s Kamran Enterprises	China	Kg	Accepted	
		4	M/s Mian & Co	China	Kg	Accepted	
112	Copper Pipe (4 Sooter) 50's Feet	2	M/s Ever Clean Enterprises	Local	Coil	Accepted	
		3	M/s Kamran Enterprises	China	Coil	Accepted	
		4	M/s Mian & Co	China	Coil	Accepted	
113	Copper Pipe (3 Sooter) 50's Feet	2	M/s Ever Clean Enterprises		Coil	Accepted	
		3	M/s Kamran Enterprises	China	Coil	Accepted	
		4	M/s Mian & Co	China	Coil	Accepted	
114	Copper Pipe (2 Sooter) 50's Feet	2	M/s Ever Clean Enterprises		Coil	Accepted	
		3	M/s Kamran Enterprises	China	Coil	Accepted	
		4	M/s Mian & Co	China	Coil	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
115	Drain Pipe (Flexible)	2	M/s Ever Clean Enterprises		Feet	Accepted	
		3	M/s Kamran Enterprises	Local	Feet	Accepted	
		4	M/s Mian & Co	Local	Feet	Accepted	
116	Light plug box (Standard Size)	2	M/s Ever Clean Enterprises	Local	Box	Accepted	
		3	M/s Kamran Enterprises	Local	Box	Accepted	
		4	M/s Mian & Co	Local	Box	Accepted	
117	Section valve (4,3,2,5 sooter)	2	M/s Ever Clean Enterprises	Super	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
118	Aero Flex (5/8,3/8)	2	M/s Ever Clean Enterprises	Local	Length	Accepted	
		3	M/s Kamran Enterprises	Local	Length	Accepted	
		4	M/s Mian & Co	Local	Length	Accepted	
119	Fine Gas Kg Fine Gas	2	M/s Ever Clean Enterprises	Local	Kg	Accepted	
		3	M/s Kamran Enterprises	Local	Kg	Accepted	
		4	M/s Mian & Co	Local	Kg	Accepted	
120	Compressor (1/5 HP)	2	M/s Ever Clean Enterprises	Local	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Secop	No.	Accepted	
		4	M/s Mian & Co	Secop	No.	Accepted	
121	Painter Item Kerocin Oil	2	M/s Ever Clean Enterprises	Local	Liter	Accepted	
		3	M/s Kamran Enterprises	Local	Liter	Accepted	
		4	M/s Mian & Co	Local	Liter	Accepted	
122	Thinner (Gallon)	2	M/s Ever Clean Enterprises	Local	Gallon	Rejected	poor quality
		3	M/s Kamran Enterprises	ICI	Gallon	Accepted	
		4	M/s Mian & Co	ICI	Gallon	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
123	Plumber Item Wash Basin	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Best Asia	No.	Accepted	
		4	M/s Mian & Co	Best Asia	No.	Accepted	
124	Barrel Nipple (1/2 Inch)	2	M/s Ever Clean Enterprises	Fisher	No.	Accepted	
		3	M/s Kamran Enterprises	HE	No.	Accepted	
		4	M/s Mian & Co	HE	No.	Accepted	
125	GI Pipe (1/2 Inch)	2	M/s Ever Clean Enterprises	Lucky	Length	Accepted	
		3	M/s Kamran Enterprises	IIL	Length	Accepted	
		4	M/s Mian & Co	IIL	Length	Accepted	
126	Single Piler Cock (1/2 Inch)	2	M/s Ever Clean Enterprises	HE	No.	Accepted	
		3	M/s Kamran Enterprises	Super Asia	No.	Accepted	
		4	M/s Mian & Co	Super Asia	No.	Accepted	
127	Molding Boarder (3 Inch)	2	M/s Ever Clean Enterprises	HE	Length	Accepted	
		3	M/s Kamran Enterprises	Local	Length	Accepted	
		4	M/s Mian & Co	Local	Length	Accepted	
128	Door Earl Complete (1 Ft.)	2	M/s Ever Clean Enterprises	HE	Set	Accepted	
		3	M/s Kamran Enterprises	China	Set	Accepted	
		4	M/s Mian & Co	China	Set	Accepted	
129	Chip Board Lamination Sheet (8x4 Ft) As per Sample	2	M/s Ever Clean Enterprises	Papuler	Sheet	Accepted	
		3	M/s Kamran Enterprises	Supertex	Sheet	Accepted	
		4	M/s Mian & Co	Supertex	Sheet	Accepted	
130	Basin Caplin (1 ¼ inch)	2	M/s Ever Clean Enterprises	Papuler	No.	Accepted	
		3	M/s Kamran Enterprises	Master	No.	Accepted	
		4	M/s Mian & Co	Master	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
131	Head with screw (According to Spindle thread)	2	M/s Ever Clean Enterprises	Papuler	No.	Accepted	
		3	M/s Kamran Enterprises	Master	No.	Accepted	
		4	M/s Mian & Co	Master	No.	Accepted	
132	Bolt Kit (Standard size)	2	M/s Ever Clean Enterprises	Local	Kit	Accepted	
		3	M/s Kamran Enterprises	Super Asia	Kit	Accepted	
		4	M/s Mian & Co	Super Asia	Kit	Accepted	
133	Cotton Thread (Standard Size) Gola	2	M/s Ever Clean Enterprises	Local	Golla	Accepted	
		3	M/s Kamran Enterprises	Local	Golla	Accepted	
		4	M/s Mian & Co	Local	Golla	Accepted	
134	Push bibcock for water cooler (Standard Size) Cool	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Cool	No.	Accepted	
		4	M/s Mian & Co	Cool	No.	Accepted	
135	Comod (Standard Size)	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Super Master	No.	Accepted	
		4	M/s Mian & Co	Super Master	No.	Accepted	
136	Spindal	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
137	Black cement (Standard Size) Bag of 50 kg Mepilife	2	M/s Ever Clean Enterprises	Dura	Bags	Accepted	
		3	M/s Kamran Enterprises	Mepilife	Bags	Accepted	
		4	M/s Mian & Co	Mepilife	Bags	Accepted	
138	PVC Elbow (4")	2	M/s Ever Clean Enterprises	Dura	No.	Accepted	
		3	M/s Kamran Enterprises	Papuler	No.	Accepted	
		4	M/s Mian & Co	Papuler	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
139	PVC T (4")	2	M/s Ever Clean Enterprises	Dura	No.	Accepted	
		3	M/s Kamran Enterprises	Papuler	No.	Accepted	
		4	M/s Mian & Co	Papuler	No.	Accepted	
140	PVC Socket (4")	2	M/s Ever Clean Enterprises	Dura	No.	Accepted	
		3	M/s Kamran Enterprises	Papuler	No.	Accepted	
		4	M/s Mian & Co	Papuler	No.	Accepted	
141	Pilot Cell (Standard Size)	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
142	Pilot Pipe (Standard size)	2	M/s Ever Clean Enterprises	Italy	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
143	Burner Pipe (Standard Size)	2	M/s Ever Clean Enterprises	Denfoss	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
144	Pilot Tube for Geezer (Standard Size)	2	M/s Ever Clean Enterprises	Denfoss	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
145	Gas Burner Valve with Nobe (Standard size)	2	M/s Ever Clean Enterprises	Denfoss	Set	Accepted	
		3	M/s Kamran Enterprises	Local	Set	Accepted	
		4	M/s Mian & Co	Local	Set	Accepted	
146	Basin Pipe (1 1/2 Inch)	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	Neflo	No.	Accepted	
		4	M/s Mian & Co	Neflo	No.	Accepted	
147	Basin Pipe 1 1/4 Inch)	2	M/s Ever Clean Enterprises	Fuji	No.	Accepted	
		3	M/s Kamran Enterprises	Neflo	No.	Accepted	
		4	M/s Mian & Co	Neflo	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
148	Handle Valve (3/4 Inch)	2	M/s Ever Clean Enterprises	Fuji	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Faisal	No.	Accepted	
		4	M/s Mian & Co	Faisal	No.	Accepted	
149	Union (1/2 Inch)	2	M/s Ever Clean Enterprises	Fuji	No.	Accepted	
		3	M/s Kamran Enterprises	HE	No.	Accepted	
		4	M/s Mian & Co	HE	No.	Accepted	
150	Union (3/4 Inch)	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	HE	No.	Accepted	
		4	M/s Mian & Co	HE	No.	Accepted	
151	Bib Cock (1/2 Inch)	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Best Asia	No.	Accepted	
		4	M/s Mian & Co	Best Asia	No.	Accepted	
152	Trap Cover S.S. Floor Waste	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
153	Geezer Thermostat (1 Inch)	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	Tasla	No.	Accepted	
		4	M/s Mian & Co	Tasla	No.	Accepted	
154	Water Filter Cartridge (1 Stage)	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	Green Aqua	No.	Accepted	
		4	M/s Mian & Co	Green Aqua	No.	Accepted	
155	Water Filter Cartridge (2 Stage)	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	Green Aqua	No.	Accepted	
		4	M/s Mian & Co	Green Aqua	No.	Accepted	
156	Toilet Shower (1/2) As per Sample	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
157	Saphon Washer (Standard size)	2	M/s Ever Clean Enterprises	China	Packet	Accepted	
		3	M/s Kamran Enterprises	Local	Packet	Accepted	
		4	M/s Mian & Co	Local	Packet	Accepted	
158	Rubber for Window Jali	2	M/s Ever Clean Enterprises	Local	Bundle	Accepted	
		3	M/s Kamran Enterprises	Local	Bundle	Accepted	
		4	M/s Mian & Co	Local	Bundle	Accepted	
159	Handle Valve (1/2 Inch)	2	M/s Ever Clean Enterprises	Fuji	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Faisal	No.	Accepted	
		4	M/s Mian & Co	Faisal	No.	Accepted	
160	Seat Cover for Commode (Standard Size)	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	ICI	No.	Accepted	
		4	M/s Mian & Co	ICI	No.	Accepted	
161	Comond Safan	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
162	U Clump ('1/2) As per Sample	2	M/s Ever Clean Enterprises	Shenider	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
163	U Clamp ('3/4) As per Sample	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
164	White cement (Standard Size) Bag of 50 Kg	2	M/s Ever Clean Enterprises	Fuji	Bags	Accepted	
		3	M/s Kamran Enterprises	Mapel Life	Bags	Accepted	
		4	M/s Mian & Co	Mapel Life	Bags	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
165	Pvc Pipe 4' Popoler 13 Feet Length	2	M/s Ever Clean Enterprises	Local	Length	Accepted	
		3	M/s Kamran Enterprises	Papuler	Length	Accepted	
		4	M/s Mian & Co	Papuler	Length	Accepted	
166	Elbow 1/2	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Papuler	No.	Accepted	
		4	M/s Mian & Co	Papuler	No.	Accepted	
167	T Stop Cock (1/2 Inch)	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Papuler	No.	Accepted	
		4	M/s Mian & Co	Papuler	No.	Accepted	
168	Rubber Connection (½ x 3 Ft)	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Best Asia	No.	Accepted	
		4	M/s Mian & Co	Best Asia	No.	Accepted	
169	PPRC Pipe 25 mm Length 10's Feet	2	M/s Ever Clean Enterprises	Local	Length	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	Length	Accepted	
		4	M/s Mian & Co	Dura	Length	Accepted	
170	PPRC Elbow 25 mm	2	M/s Ever Clean Enterprises	Local	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
171	PPRC Socket 25 mm	2	M/s Ever Clean Enterprises	Local	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
172	PPRC T 25 mm	2	M/s Ever Clean Enterprises	Secop	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
173	PPRC Elbow 25 mm * ½	2	M/s Ever Clean Enterprises	GM	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
174	PPRC Socket 25 mm * ½	2	M/s Ever Clean Enterprises	Pel	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
175	PPRC T 25 mm * ½	2	M/s Ever Clean Enterprises	Pel	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
176	PPRC Gate Walve 25 mm	2	M/s Ever Clean Enterprises		No.		
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
177	PPRC Pipe 32 mmLength 13 Feet	2	M/s Ever Clean Enterprises	Local	Length	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	Length	Accepted	
		4	M/s Mian & Co	Dura	Length	Accepted	
178	PPRC Elbow 32 mm	2	M/s Ever Clean Enterprises	Captan	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
179	PPRC Socket 32 mm	2	M/s Ever Clean Enterprises	Local	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
180	PPRC T 32 mm	2	M/s Ever Clean Enterprises	ICI	No.	Accepted	
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
181	PPRC Elbow 32 mm * ¾	2	M/s Ever Clean Enterprises	China	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
182	PPRC Elbow 32 mm * ½	2	M/s Ever Clean Enterprises		No.		
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
183	PPRC Socket 32 mm * 3/4	2	M/s Ever Clean Enterprises	Local	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
184	PPRC Socket 32 mm * 1/2	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
185	PPRC T 32 mm * 3*4	2	M/s Ever Clean Enterprises	Local	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
186	PPRC Gate Walve 32 mm	2	M/s Ever Clean Enterprises	Star	No.	Accepted	
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
187	PPRC Dead Plug 32 mm	2	M/s Ever Clean Enterprises	Golden	No.	Accepted	
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
188	PPRC Dead Plug 25 mm	2	M/s Ever Clean Enterprises	China	No.	Rejected	poor quality
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Dura	No.	Accepted	
189	PVC Socket 3",4"	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Papuler	No.	Accepted	
190	PVC T 3",4"	2	M/s Ever Clean Enterprises		No.		
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Papuler	No.	Accepted	
191	PVC Solution 500 ml	2	M/s Ever Clean Enterprises		No.		
		3	M/s Kamran Enterprises	As per sample	No.	Accepted	
		4	M/s Mian & Co	Papuler	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
192	AC Fridge Item Gas Cylinder (R 22)	2	M/s Ever Clean Enterprises	Genetron	No.	Accepted	
		3	M/s Kamran Enterprises	Genetron	No.	Accepted	
		4	M/s Mian & Co	Genetron	No.	Accepted	
193	Welding Rod SS (12) Kg	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
194	Starting Capacitor 80/110 UF	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
195	Gas cylinder (R 410)	2	M/s Ever Clean Enterprises	Genetron	No.	Accepted	
		3	M/s Kamran Enterprises	Genetron	No.	Accepted	
		4	M/s Mian & Co	Genetron	No.	Accepted	
196	Gas Cylinder (R 134)	2	M/s Ever Clean Enterprises	Genetron	No.	Accepted	
		3	M/s Kamran Enterprises	Genetron	No.	Accepted	
		4	M/s Mian & Co	Genetron	No.	Accepted	
197	Compressor Window AC (1 1/2 Ton)	2	M/s Ever Clean Enterprises	As per sample	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
198	Compressor Window A/C (2 Ton)	2	M/s Ever Clean Enterprises	As per sample	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
199	Compressor (¼ HP)	2	M/s Ever Clean Enterprises	Secop	No.	Accepted	
		3	M/s Kamran Enterprises	Secop	No.	Accepted	
		4	M/s Mian & Co	Secop	No.	Accepted	
200	Compressor (1/6 HP)	2	M/s Ever Clean Enterprises	Secop	No.	Accepted	
		3	M/s Kamran Enterprises	Secop	No.	Accepted	
		4	M/s Mian & Co	Secop	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
201	Compressor Rotary (1 ½ Ton)	2	M/s Ever Clean Enterprises	Secop	No.	Accepted	
		3	M/s Kamran Enterprises	Hily	No.	Accepted	
		4	M/s Mian & Co	Hily	No.	Accepted	
202	Compressor (2 Ton)	2	M/s Ever Clean Enterprises	As per sample	No.	Accepted	
		3	M/s Kamran Enterprises	Hily	No.	Accepted	
		4	M/s Mian & Co	Hily	No.	Accepted	
203	Filter Dry for Fridge (gram) Itly	2	M/s Ever Clean Enterprises	Ittaly	No.	Accepted	
		3	M/s Kamran Enterprises	Itly	No.	Accepted	
		4	M/s Mian & Co	Itly	No.	Accepted	
204	Copper Rod (Standard Size) Kg	2	M/s Ever Clean Enterprises	Best Quality	No.	Accepted	
		3	M/s Kamran Enterprises	Best Quality	No.	Accepted	
		4	M/s Mian & Co	Best Quality	No.	Accepted	
205	Fan Motor for Water Cooler (5 Watt)	2	M/s Ever Clean Enterprises	Elco	No.	Accepted	
		3	M/s Kamran Enterprises	Elco	No.	Accepted	
		4	M/s Mian & Co	Elco	No.	Accepted	
206	Universal A/C Kit (Standard Size)	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
207	Sensual Oil (22 No) (4 Liter / Can)	2	M/s Ever Clean Enterprises	Sunico	Can	Accepted	
		3	M/s Kamran Enterprises	Sunico	Can	Accepted	
		4	M/s Mian & Co	Sunico	Can	Accepted	
208	Gas R407 Cylinder	2	M/s Ever Clean Enterprises	Genetron	No.	Accepted	
		3	M/s Kamran Enterprises	Genetron	No.	Accepted	
		4	M/s Mian & Co	Genetron	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
209	Painter Item Painting Brush (5 Inch.)	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Local	No.	Accepted	
		4	M/s Mian & Co	Captain	No.	Accepted	
210	Plaster of Paris (Regular) As per Sample	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	Dimond	No.	Accepted	
		4	M/s Mian & Co	As per sample	No.	Accepted	
211	Oster Paint (Gallon)	2	M/s Ever Clean Enterprises	Diamond	Gallon	Accepted	
		3	M/s Kamran Enterprises	Dimond	Gallon	Accepted	
		4	M/s Mian & Co	Master	Gallon	Accepted	
212	Black Paint (Gallon)	2	M/s Ever Clean Enterprises	Diamond	Gallon	Accepted	
		3	M/s Kamran Enterprises	Dimond	Gallon	Accepted	
		4	M/s Mian & Co	Master	Gallon	Accepted	
213	White Paint (Gallon)	2	M/s Ever Clean Enterprises	Diamond	Gallon	Accepted	
		3	M/s Kamran Enterprises	Dimond	Gallon	Accepted	
		4	M/s Mian & Co	Master	Gallon	Accepted	
214	Off White Paint (Gallon)	2	M/s Ever Clean Enterprises	Diamond	Gallon	Accepted	
		3	M/s Kamran Enterprises	Dimond	Gallon	Accepted	
		4	M/s Mian & Co	Master	Gallon	Accepted	
215	Red Paint (Gallon)	2	M/s Ever Clean Enterprises	Diamond	Gallon	Accepted	
		3	M/s Kamran Enterprises	Dimond	Gallon	Accepted	
		4	M/s Mian & Co	Master	Gallon	Accepted	
216	Blue Paint (Gallon)	2	M/s Ever Clean Enterprises	Diamond	Gallon	Accepted	
		3	M/s Kamran Enterprises	Dimond	Gallon	Accepted	
		4	M/s Mian & Co	Master	Gallon	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
217	Distemper Off white (Gallon)	2	M/s Ever Clean Enterprises	Diamond	Gallon	Accepted	
		3	M/s Kamran Enterprises	Dimond	Gallon	Accepted	
		4	M/s Mian & Co	Master	Gallon	Accepted	
218	Distemper White (Gallon)	2	M/s Ever Clean Enterprises	Diamond	Gallon	Accepted	
		3	M/s Kamran Enterprises	Dimond	Gallon	Accepted	
		4	M/s Mian & Co	Master	Gallon	Accepted	
219	Thimble for AC/ Fridge (Packet)	2	M/s Ever Clean Enterprises	-	Packet	Accepted	
		3	M/s Kamran Enterprises	China	Packet	Accepted	
		4	M/s Mian & Co	Local	Packet	Accepted	
220	Condenser 1/4,1/5 for water cooler	2	M/s Ever Clean Enterprises		No.		
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
221	Drwaer Lock 808	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
222	Drwaer Lock 505	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
223	Drwaer Lock 3/4	2	M/s Ever Clean Enterprises	China	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	
224	Piano Switch bush hilife	2	M/s Ever Clean Enterprises	Life	No.	Rejected	Fitting not proper
		3	M/s Kamran Enterprises	Bush Hilife	No.	Accepted	Fitting not proper
		4	M/s Mian & Co	Hilife	No.	Rejected	
225	Electric Bell	2	M/s Ever Clean Enterprises	Local	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	China	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
226	SGP bulb 400watt	2	M/s Ever Clean Enterprises	Phalips	No.	Accepted	
		3	M/s Kamran Enterprises	Phalips	No.	Accepted	
		4	M/s Mian & Co	Phalips	No.	Accepted	
227	Thimble 120mm (pcs)	2	M/s Ever Clean Enterprises	Phalips	Each	Accepted	
		3	M/s Kamran Enterprises	Local	Each	Accepted	
		4	M/s Mian & Co	Local	Each	Accepted	
228	Thimble 185 mm	2	M/s Ever Clean Enterprises	Phalips	Each	Accepted	
		3	M/s Kamran Enterprises	Local	Each	Accepted	
		4	M/s Mian & Co	Local	Each	Accepted	
229	Cattle element 1000 watt	2	M/s Ever Clean Enterprises	GM	No.	Accepted	
		3	M/s Kamran Enterprises	China	No.	Accepted	
		4	M/s Mian & Co	Local	No.	Accepted	
230	Vehicle Filters For Nissan Bus SP-210 Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Diesel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
231	For Mazda Truck T-3500 Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
	Diesel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
232	For Isuzu Truck Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Diesel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
233	For Toyota Hiace Van Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Diesel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
234	Toyota Hi-Roof Ambulance Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Diesel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
235	For Mitsubishi Van Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Diesel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
236	For Toyota Corola Car Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Fuel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
237	For Suzuki Van Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Genwan	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Genwan	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Fuel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
238	For Mercedes MB-100 Oil Filter	2	M/s Ever Clean Enterprises	Genwan	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Genwan	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Genwan	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Genwan	No.	Accepted	
239	For Master Truck Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Diesel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
240	For Mini Bus Shahzore Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Diesel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
241	Daewoo Bus BH115 Oil Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Air Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
	Diesel Filter	2	M/s Ever Clean Enterprises	Guard	No.	Accepted	
		3	M/s Kamran Enterprises	Guard	No.	Accepted	
		4	M/s Mian & Co	Guard	No.	Accepted	
242	Greese (500 gm)	2	M/s Ever Clean Enterprises	Guard	Packet	Accepted	
		3	M/s Kamran Enterprises	Guard	Packet	Accepted	
		4	M/s Mian & Co	Guard	Packet	Accepted	
243	Brake Oil (250 ml)	2	M/s Ever Clean Enterprises	Guard	Bottles	Accepted	
		3	M/s Kamran Enterprises	Guard	Bottles	Accepted	
		4	M/s Mian & Co	Guard	Bottles	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Descriptions	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
244	Power Oil (1000 ml)	2	M/s Ever Clean Enterprises	Guard	Bottles	Accepted	
		3	M/s Kamran Enterprises	Guard	Bottles	Accepted	
		4	M/s Mian & Co	Guard	Bottles	Accepted	
245	C-L Oil	2	M/s Ever Clean Enterprises	Local	Bottles	Accepted	
		3	M/s Kamran Enterprises	Guard	Bottles	Accepted	
		4	M/s Mian & Co	Guard	Bottles	Accepted	

7. Framework Contract for Purchase of Toners for Printers

Four firms participated in the tender for purchase of Toner Items for the year 2022-2023. M/s Wasil Enterprises, M/s Mian & Co & M/s Pearl Computer were responsive as per evaluation criteria mentioned in the bidding document. Whereas M/s Nazam Trading Co were non-responsive as the firm did not fulfilled clause # 11 of compulsory parameters mentioned in the bid.

The quoted brands against each item were evaluated by the committee on the basis of quality of the product. Comparative Statement / Technical evaluation report is as under.

Sr. #	Item Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
1	Toner HP Laser Printer Model 1100 A Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
2	Toner HP Laser Printer Model 1200 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
3	Toner HP Laser Printer Model 1010 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
4	Toner HP - Laser Printer Model 1320 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
5	Toner HP Laser Printer Model 2015 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. #	Item Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
6	Toner HP Laser Printer Model 2035 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
7	Toner HP Laser Printer Model 1536 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
8	Toner HP Laser Printer Model 1102 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
9	Toner Hp 17A Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
10	Toner HP Laser Printer Model: 402dn Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
11	Toner HP Laser 227 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
12	Toner HP laser jet 400 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
13	Toner Photocopy Machine TN-511 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	Konica Minolta	1's	Accepted	
14	Toner Photocopy Machine TN-513 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	Konica Minolta	1's	Accepted	
15	Toner Hp 203 (30A) Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
16	Toner Hp 79 (Best Quality)	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
17	Toner HP Laser 404 (Best Quality)	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. #	Item Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
18	Toner HP Laser 137 / 107A (Best Quality)	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
19	Toner HP Laser 602 / 90A (Best Quality)	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
20	Toner HP Laser 3015 / 55A (Best Quality)	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	
21	Toner HP Laser M-12 Best Quality	1	M/s Wasil Enterprises	HP China	1's	Accepted	
		2	M/s Mian & Co	HP China	1's	Accepted	

8. Framework Contract for Bulk Purchase of OPD Medicine Items

Ten firms participated in the tender for purchase of OPD medicine items for the year 2022-2023. Nine firms i.e. M/s Wilshire Laboratories (Pvt.) Ltd, M/s Glitz Pharma, M/s Genix Pharma (Pvt.) Ltd, M/s Hamaz Pharmaceuticals (Pvt.) Ltd, M/s Chiesi Pharmaceuticals (Pvt.) Ltd, M/s P.D.H. Pharmaceuticals (Pvt.) Ltd, M/s CCL Pharmaceuticals (Pvt.) Ltd., M/s Abbott Laboratories (Pakistan) Limited & M/s Kaizen Pharmaceuticals (Pvt.) Ltd were qualified as per evaluation criteria mentioned in the bidding documents. Whereas M/s Himedic Pharmaceuticals (Pvt.) Ltd was not qualified as the firm did not fulfill evaluation criteria experience of the quoted brand mentioned in the bidding document.

The brands quoted by the firms against the items were discussed in length during the meeting. The committee technically scrutinized each quoted brand on the basis of API Source, Financial Capacity, Market experience of the quoted brands in the private / public sector, Consultant's clinical experience and only those brands were declared responsive who scored atleast 60 % marks in the evaluation criteria as mentioned in the bidding documents. Comparative Statement / Technical evaluation report is as under.

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Class	Generics	Specification	Vendor No.	Vendor Name	Quoted Brand	Technical Scrutiny (Responsive / Non-Responsive)
1	Anti Helmentics	Susp. Mebandazole 100mg/5ml	30ml Syp. of 100mg/5ml			Not Quoted	
2	Antibiotics	Susp. Amoxicillin + Clavulanic acid 312mg/5ml	90 Suspension of 312.5mg/5ml			Not Quoted	
		Syp. Metronidazole 200mg/5ml	90ml syp of 200mg/5ml			Not Quoted	
4		Susp. Ciprofloxacin 250mg/5ml	60ml Syp. of 250 mg/5ml	3	M/s Genix Pharma Pvt. Ltd	Efecip Dry Susp.	Responsive
				6	M/s P.D.H. Pharmaceuticals (Pvt) Ltd	Kuin Kid Susp.	Responsive
5		Syp. Cefixime 200mg/5ml	30ml susp of 200mg/5ml	1	M/s Wilshire Laboratories (Pvt) Ltd	Secure DS Susp.	Responsive
				2	M/s Glitz Pharma	Glixim	Responsive
				4	M/s Hamaz Pharmaceuticals (Pvt) Ltd	Suncef Fort Susp.	Responsive
				6	M/s P.D.H. Pharmaceuticals (Pvt) Ltd	Ceflorex DS Susp.	Responsive
				8	M/s Abbott Laboratories (Pakistan) Ltd	Tucana DS Susp.	Non-Responsive
				10	M/s Himedic Pharmaceuticals (Pvt) Ltd	Medoxim Ds Susp.	Non-Responsive
6		Susp. Azithromycin 200mg/5ml	25ml susp of 200mg/5ml	1	M/s Wilshire Laboratories (Pvt) Ltd	Zeecin Susp.	Responsive
				3	M/s Genix Pharma Pvt. Ltd	Genthro Susp.	Responsive
				9	M/s Kaizen Pharmaceuticals (Pvt) Ltd	Servaz	Responsive

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Class	Generics	Specification	Vendor No.	Vendor Name	Quoted Brand	Technical Scrutiny (Responsive / Non-Responsive)
7	CNS Drugs	Tab. Lamotrigin 25 mg	Tab. of 25mg in a pack of 30	2	M/s Glitz Pharma	Tab. Lametil25	Responsive
8		Tab. Lamotrigin 50 mg	Tab. of 50mg in a pack of 30	2	M/s Glitz Pharma	Tab. Lametil50	Responsive
9		Syp. Risperidone	1 mg/ 1ml syp. of 60ml	2	M/s Glitz Pharma	Syp. Raze	Responsive
10		Tab. Topiramate 25 mg	Tab. of 25 mg in pack of 60	2	M/s Glitz Pharma	Tab. Zopir	Responsive
11		Tab. Atomoxetine 10 mg	Tab./cap of 10mg			Not Quoted	
12	Dermatology Drugs	Ketoconazole 2% cream	10gms cream of 2%			Not Quoted	
13		Permethrin cream 5%	30gms cream			Not Quoted	
14		Lignocaine Gel 2%	2% w/v in a tube of 15gms			Not Quoted	
15		Polymyxin (10000 IU/g) + Bacitracin (500 IU/g) Skin ointment	20gm tube of 10000units + 500 units/gm			Not Quoted	
16	Ophthalmic Drugs	Tobramycin (0.3%)+ dexamethasone 0.1% Eye drop	5ml Drops. of 0.3 & 0.1% individually packed with leaflet			Not Quoted	
17		Polyfax eye ointment	6 gm tube of 10000 units + 500units / gm			Not Quoted	
18		Moxifloxacin eye drops 0.5%	5 ml drops 0.5% w/v individually			Not Quoted	
19	Otic Drugs	Soda Glycerine 5% w/w Ear drops	Drops of 10ml			Not Quoted	
20		Ciprofloxacin + Dexamethasone Ear drops	Drops of 5ml			Not Quoted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Class	Generics	Specification	Vendor No.	Vendor Name	Quoted Brand	Technical Scrutiny (Responsive / Non-Responsive)
21	Analgesics / Antipyretics	Syp. Ibuprofen 200mg/5ml	90ml syp of 200mg/5ml	8	M/s Abbott Laboratories (Pakistan) Ltd	Brufen DS Susp.	Responsive
				9	M/s Kaizen Pharmaceuticals (Pvt) Ltd	Torfen	Responsive
22		Syp. Paracetamol 250mg/5ml	90mg susp of 250mg/5ml	4	M/s Hamaz Pharmaceuticals (Pvt) Ltd	Estadol Plus Syp.	Responsive
23		Syp. Paracetamol 120mg/5ml	90 ml syp of 120mg/5ml	4	M/s Hamaz Pharmaceuticals (Pvt) Ltd	Estadol Plus Syp.	Responsive
				6	M/s P.D.H. Pharmaceuticals (Pvt) Ltd	Anamol Susp.	Responsive
24	Multivitamins, Minerals & Other Supplements	Vitamin D 400 IU / drop	10ml drops of 400IU			Not Quoted	
25		Vitamin A 1500mcg/drop	10 ml drops of 1500mcg			Not Quoted	
26		Syp. Ferrous Sulphate with B complex	Syp. of 120 ml			Not Quoted	
27		Syp. Zinc Sulphate	60mg syp of 20mg zinc	2	M/s Glitz Pharma	Syp. Ziglit	Responsive
				9	M/s Kaizen Pharmaceuticals (Pvt) Ltd	Unizinc	Responsive
28		Susp. Calcium P (vit. D + calcium)	110 ml Syp. of 350mg + 210mg/5ml	6	M/s P.D.H. Pharmaceuticals (Pvt) Ltd	Calcium-P Susp.	Responsive
29		Tab. Alfacalcidol 25mcg	25 mcg in a pack of 10			Not Quoted	
30	Respiratory Drugs	Salbutamol Inhaler 100mcg	Inhaler of 100 mcg/puff			Not Quoted	
31		Sachet Montelukast 4mg	Sachet of 4mg in a pack of 14	8	M/s Abbott Laboratories (Pakistan) Ltd	Floaid	Responsive
32		Inhaler Beclamethasone	Inhalerr of 250mcg	5	M/s Chiesi Pharmaceuticals (Pvt) Ltd	Clenil 250	Responsive
33	Anti Histamine	Syp. Loratadine 5mg/5ml	30ml Syp. of 5mg/5ml			Not Quoted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Class	Generics	Specification	Vendor No.	Vendor Name	Quoted Brand	Technical Scrutiny (Responsive / Non-Responsive)
34		Syp. Chlorpheniramine Maleate 2mg/5ml	60ml syp of 2mg/5ml	6	M/s P.D.H. Pharmaceuticals (Pvt) Ltd	Allerphene Syp.	Responsive
35	Corticosteroids	Tab. Prednisolone 5mg	5 mg tablet in a bottle of 1000			Not Quoted	
36		Tab. Hydrocortisone 10mg	Tab. of 10mg in a pack of 30			Not Quoted	
37	GIT Drugs	Syp. Domperidone 5mg/5ml	120mg susp of 5mg/5ml	6	M/s P.D.H. Pharmaceuticals (Pvt) Ltd	Stominant Susp.	Responsive
38		Syp. Lactulose 3.35gm/5ml	120 ml Syp. of 3.35gm/5ml	8	M/s Abbott Laboratories (Pakistan) Ltd	Duphalac Syp.	Responsive
39		ORS (Low osmolar)	Pack of 20	2	M/s Glitz Pharma	Oragil Sachet	Responsive
40		Glycerine Supposotries	Peads size in a pack of 12			Not Quoted	
41		Tab. Sulfasalazine 500mg	Tab. of 500mg in a pack of 10			Not Quoted	
42		Omeperazole Satchet 20mg	Sachet of 20mg			Not Quoted	
43	Cardiovascular Drugs	Tab. Captopril 12.5mg	Tab. of 12.5 mg in a pack of 30			Not Quoted	
44		Tab. Spiromide 20mg	Tab. of 20mg in a pack of 20			Not Quoted	
45		Tab. Digoxin 250ug	Tab. of 0.25 mg in bottle of 25's			Not Quoted	
46		Tab. Propranolol 10mg	Tab. of 10 mg in a pack/bottle of 50			Not Quoted	
47		Tab. Carvedilol 6.25 mg	Tab. of 6.25mg in a pack of 30	2	M/s Glitz Pharma	Tab. Vedigit	Responsive
48		Tab. Doxazosin Mesylate 2mg	Tab. of 2mg in a pack of 20			Not Quoted	
49	Anti Fungal	Nystatin 100,000 IU / ml Drops	Drop. of 30ml / (10,0000 IU)			Not Quoted	
50		Syp. Fluconazole 50mg / ml	30ml Syp. of 50mg/5ml			Not Quoted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Class	Generics	Specification	Vendor No.	Vendor Name	Quoted Brand	Technical Scrutiny (Responsive / Non-Responsive)
51	Anti Viral	Tab. Acyclovir 400mg	Tab. of 400mg in a pack of 30			Not Quoted	
52		Susp. Acyclovir 200mg/5ml	30ml Syp. 200mg/5ml			Not Quoted	
53	Hormonal Drug	Tab. Fludrocortisone 0.1mg	Tab. Of 0.1 mg in pack of 20			Not Quoted	
54		Tab. Thyroxine 50mg	Tab. of 50mg in a bottle of 100	2	M/s Glitz Pharma	Tab. Tyroxine	Responsive
55	Anti Malarial	Artemether + Lumefantrine Suspension	60ml Syp. of 90mg + 15mg/5ml	3	M/s Genix Pharma Pvt. Ltd	Gen-M Dry Susp.	Responsive
56	Antiemetic	Dimenhydrinate Suspension 12.5mg/4ml	60ml syp of 12.5mg/4ml			Not Quoted	
57	Immunosuppressant	Cap. Tacrolimus 1mg	Cap. of 1mg in a pack of 30	7	M/s CCL Pharmaceuticals (Pvt) Ltd	Tacgraf Cap.	Responsive
				9	M/s Kaizen Pharmaceuticals (Pvt) Ltd	Unigraf	Responsive
58		Cap. Tacrolimus 0.5mg	Cap. of 0.5mg in a pack of 30	7	M/s CCL Pharmaceuticals (Pvt) Ltd	Tacgraf Cap.	Responsive
				9	M/s Kaizen Pharmaceuticals (Pvt) Ltd	Unigraf	Responsive
59		Tab. Mycophenolate 500 mg in a pack of 50	Tab. of 500mg in a pack of 50	4	M/s Hamaz Pharmaceuticals (Pvt) Ltd	Astecept Tab.	Responsive
				7	M/s CCL Pharmaceuticals (Pvt) Ltd	Mycolate Tab.	Responsive
				9	M/s Kaizen Pharmaceuticals (Pvt) Ltd	Revograf	Responsive
32	Respiratory Drugs	Inhaler Beclamethasone	Inhalerr of 250mcg	5	M/s Chiesi Pharmaceuticals (Pvt) Ltd	Clenil 250	Responsive

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

9. Framework Contract for Purchase of Digital X-Ray Films

M/s Fuji Film Pakistan (Pvt.) Ltd participated in the bid regarding purchase of X-Ray Films and was declared responsive as per evaluation criteria mentioned in the bidding document.

The brand Fuji Film, Japan quoted by the firm against the items was technically evaluated and recommended by the committee. Comparative Statement / Technical evaluation report is as under.

Sr. No.	Item Description	Vendor No.	Vendor Name	Brand	Manufacturer	Pack Size	Technical Scrutiny (Accepted / Rejected)
1	X-Ray Film Pack of 150's Sheet (8" x 10" 20cmx25cm)	1	M/s Fujifilm Pakistan (Pvt) Ltd	Medical Dry Imaging Laser Films DI-HL	M/s Fujifilm, Japan	150 Sheets / Pack	Accepted
2	X-Ray Film Pack of 150's Sheet (10" x 14" 26cmx36cm)	1	M/s Fujifilm Pakistan (Pvt) Ltd	Medical Dry Imaging Laser Films DI-HL	Fujifilm, Japan	150 Sheets / pack	Accepted
3	X-Ray Film Pack of 100's Sheet (14" x 17" 35cmx43cm)	1	M/s Fujifilm Pakistan (Pvt) Ltd	Medical Dry Imaging Laser Films DI-HL	Fujifilm, Japan	100 Sheets / pack	Accepted

10. Framework Contract for Purchase of Dental Material / Chemical Items

Six firms participated in the bid of Dental Material & Chemicals for the year 2022-2023. Five firms i.e. M/s Care Medical Solution, M/s Pacific International, M/s Treu-Dynamic International (Pvt.) Ltd, M/s E-Denta Mart, M/s Biolife Technologies & M/s Imperial Dental Supply Co. were declared responsive as per evaluation criteria mentioned in the bidding document. Whereas M/s E-Dental Mart was declared non-responsive as the firm did not fulfilled clause # 4, 10, 11 & 13 of compulsory parameters mentioned in the bid.

The samples quoted by the firms against the items were technically evaluated & checked the quality of the quoted brands. Comparative Statement / Technical evaluation report is as under.

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
(a) Orthodontics Material / Chemicals Items							
1	Pre-Programmed (MBT) Prescription with set of 8 wires (0.022/0.028 Slot)	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Complete Set (Upper & Lower)	Accepted	
2	Molar bands triple tube right and left upper (0.022/0.28 slot)	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each (Sandblasted upper triple tube)	Rejected	Poor Quality
		2	M/s Pacific International	TD Ortho	Each	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
		6	M/s Imperial Dental Supply Co	G&H, Germany	No.	Rejected	Sample not provided
3	Bands double tube Right and left Lower (0.22/0.28 Slot)	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each	Rejected	Sample not provided
		2	M/s Pacific International	TD Ortho	Each (Sandblasted upper triple tube)	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	No.	Rejected	
4	Bracket Edgewise Roth prescription upper and lower full set (0.022 / 0.028 Slot A set of 20)	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Set of 20's	Rejected	Poor Quality
		2	M/s Pacific International	Ortho Care UK	Set of 20's	Accepted	
5	a). Stainless Steel Round (Lower Arch and upper arch (Natural) 0.016,0.018, 0.020	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Wire	Rejected	Poor Quality
		2	M/s Pacific International	Ortho Care UK	Each (Ovoid/Europ form Shape)	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	No.	Rejected	
	b). Rectangular S/S upper and (Lower Arch (Natural) 0.016x0.022	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Wire	Rejected	Poor Quality
		2	M/s Pacific International	Ortho Care UK	Each (Ovoid/Europ form Shape)	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	No.	Rejected	
	c). Rectangular S/S upper and (Lower Arch (Natural) 0.017x0.022, 0.018x0.025, 0.019 x 0.025,0.021x0.25	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Wire (0.016x0.22)	Rejected	Poor Quality
		2	M/s Pacific International	Ortho Care UK	Each (Ovoid / Europe form Shape)	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	No.	Rejected	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
6	a). NiTi Round Wires (Lower Arch and upper arch) Natural 0.012,0.014	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Wire	Rejected	Poor Quality
		2	M/s Pacific International	Ortho Care UK	Each (Ovoid / Europe form Shape) No.	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany		Rejected	Sample not provided
	b). NiTi Round Wires (lower Arch and Upper Arch) (Natural) 0.016, 0.018, 0.020	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Wire	Accepted	
		2	M/s Pacific International	Ortho Care UK	Each (Ovoid/Europ form Shape) No.	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany		Accepted	
	c). Rectangular NiTi Wires (Upper Arch and Lower Arch Natural) 0.016x0.022	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Wire	Rejected	Poor Quality
		2	M/s Pacific International	Ortho Care UK	Each (Ovoid/Europ form Shape) No.	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany		Rejected	Sample not provided
7	Ligature wire (0.012, 0.010)	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Wire	Accepted	
		2	M/s Pacific International	Ortho Care UK	Each 0.010	Accepted	
8	Hard Orthodontic Stainless Steel Wire for TPA (0.9mm)	2	M/s Pacific International	Leone Italy	Spool 10m,0.9mm- ,0.036"	Accepted	
		6	M/s Imperial Dental Supply Co	Korea	Kg (0.9mm)	Accepted	
9	Steel Ligatures (Preformed)	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Ligature	Accepted	
		2	M/s Pacific International	Ortho Care UK	Each 0.010	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
10	Orthodontic Bonding light cure XT (2.5 g)	1	M/s Care Medical Solutions	Lancer Orthodontics USA	EachFormula 11 Kit4x5g+Bonding + Etc.	Rejected	Share Bond Strength (SBS) not good
		2	M/s Pacific International	Vericom Korea	Pkt 4g, Adhesive, Prime 6ml, 5ml Etchant, Accessories	Accepted	
		6	M/s Imperial Dental Supply Co	T&G, UK	Kit 2x3.5g adhesive 2.5gm etchant 8ml primer	Rejected	SBS not good
11	Reverse Pull Head Gear Petit with extra oral elastics	1	M/s Care Medical Solutions	Imported	Each	Accepted	
		2	M/s Pacific International	Leone Italy	Each	Accepted	
12	High Pull Head gear Head cap, face bow, module	1	M/s Care Medical Solutions	Imported	Each	Accepted	
		2	M/s Pacific International	Leone Italy	Pkt	Accepted	
13	High Pull Head gear head cap, face bow, Module	1	M/s Care Medical Solutions	Imported	Each	Accepted	
		2	M/s Pacific International	Leone Italy	Pkt	Accepted	
14	Chin Cup with Cervical Strap Medium, High. Low	1	M/s Care Medical Solutions	Imported	Each	Accepted	
		2	M/s Pacific International	Leone Italy	Each	Accepted	
15	Elastic Latex Intra-oral (1/4, 5/16, 3/4)	1	M/s Care Medical Solutions	Imported	Each	Accepted	
		2	M/s Pacific International	TD Ortho	Intra-Oral (1/4,5/10,3/4) Pkt of 100's	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	Pkt Extra-Oral (assorted size)	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
16	Elastic Tooth Separators Dental Elastics for Molars	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Separator	Rejected	Poor Quality
		2	M/s Pacific International	Ortho Care UK	Dental Elastics for Molars Star shape Each No.	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	Dental Elastic for Molar (100-Strip) for Anterior	Rejected	Poor Quality
17	Elastics Chain Elasto-Forcep (Heavy)	1	M/s Care Medical Solutions	Imported	Each Chain(15 Ft, Spool)	Accepted	
		2	M/s Pacific International	Ortho Care UK	Spool Elasto-Force (Heavy) 15 Ft.	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	No. Elasto-Forcep (Heavy)	Accepted	
18	Elastics Chain Elasto-Forcep (Medium)	1	M/s Care Medical Solutions	Imported	Each Chain (15 Ft, Spool)	Accepted	
		2	M/s Pacific International	TD Ortho	Spool Elasto-Force (Medium) 15 Ft.	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	No. Elasto-Forcep (Medium)	Accepted	
19	Expansion Screw	1	M/s Care Medical Solutions	Imported	Each Screw	Accepted	
		2	M/s Pacific International	Leone Italy	Each Pink Color No.	Accepted	
		6	M/s Imperial Dental Supply Co	Hyrax, USA		Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
20	Hyrex Expansion Screw Rapid Expansion Screw (Assorted Size)	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Philosophy 1 Rapid Palatal Expender (Assorted size)	Accepted	Poor Quality
		2	M/s Pacific International	Leone Italy	Each Rapid Expansion Screw (Assorted Size) with survival key	Accepted	
		6	M/s Imperial Dental Supply Co	Leone, Italy	No.	Rejected	
21	Crimable hooks Round Base	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Hook	Accepted	
		2	M/s Pacific International	TD Ortho	Each	Accepted	
		5	M/s E-Dental Mart	China	11 Pcs / Bag Long	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	Set of 4's Pcs	Accepted	
22	Lingual Button	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Button	Accepted	
		2	M/s Pacific International	TD Ortho	Each Round/Flat	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	Set of 10's Pcs	Accepted	
23	Face Bow (metal frame)	1	M/s Care Medical Solutions	Imported	Each	Accepted	
		2	M/s Pacific International	Leone Italy	Each	Accepted	
24	Face Bow (head cap with Module)	1	M/s Care Medical Solutions	Imported	Each	Accepted	
		2	M/s Pacific International	Leone Italy	Each	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
25	Molar Tubes Full Length 0.022x0.028 Slot	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Velocity Molar Tube	Accepted	
		2	M/s Pacific International	TD Ortho	Each 0.022 Slot with number mentioned sandblasted	Accepted	
26	Lingual Bracket Set (prefabricated) 0.022x0.028, Slot 20 Pcs	1	M/s Care Medical Solutions	Imported	Each (Lingual Molar Tubes)	Accepted	
		2	M/s Pacific International	JJ Ortho	Set	Accepted	
27	Ni Ti Open Coil Narrow Lumen	1	M/s Care Medical Solutions	Imported	Each Narrow Lumen	Accepted	
		2	M/s Pacific International	Ortho Care UK	Spool	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	No.	Accepted	
28	Ni Ti Closing coil With Eyelets (3 mm)	1	M/s Care Medical Solutions	Imported	Each (with Eyelets 3mm)	Accepted	
		2	M/s Pacific International	Ortho Care UK	Each	Accepted	
		6	M/s Imperial Dental Supply Co	G&H, Germany	Coil	Accepted	
29	Jasper Jumper	1	M/s Care Medical Solutions	American Ortho USA	Each Jasper Jumper	Accepted	
30	Orthodontic Bonding Kit Self cure	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Formula 2 Kit 4x5g+Bonding+Etch	Rejected	Share bonding strength not good Sample
		2	M/s Pacific International	Ortho Care UK	Kit 3.5g Adhesive Paste in syringe, 5ml primer, 3ml Etchant liquid, brushes, spatulas, Dispensing pad	Accepted	
		6	M/s Imperial Dental Supply Co	T&G, UK	Kit 2x3.5g adhesive 2.5gm etchant 8ml primer	Rejected	Share bonding strength not good

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
31	Abrasive Strips Flat Biomolar (Double Ended)	1	M/s Care Medical Solutions	Proclinic Italy	Each	Accepted	
		2	M/s Pacific International	TD Ortho	Pkt of 12	Accepted	
		6	M/s Imperial Dental Supply Co	Brazil	Pkt of 12 Pcs	Accepted	
32	Kobayashi Tie Hooks	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each	Accepted	
		2	M/s Pacific International	Ortho Care UK	0.12 Each	Accepted	
33	Ni Ti Separator	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Lancer Ni Ti Separator (Pkt of 10 Pcs)	Accepted	
34	Impression Trays Disposable	5	M/s Biolife Technologies	China	-	Accepted	Poor Quality
		6	M/s Imperial Dental Supply Co	BMS, Italy	Pkt of 12's Pcs	Rejected	
35	Orthodontic Implants (8, 10, 12 mm)	1	M/s Care Medical Solutions	Imported	Each Ortho TADs	Rejected	Poor Quality
		2	M/s Pacific International	TD Ortho	Each	Accepted	
36	Herbst Appliance	2	M/s Pacific International	Leone Italy	Set Class-II Corrector Kit with anterior hook	Accepted	
37	Die Stone	1	M/s Care Medical Solutions	Zermack, Italy	Each Elite Rock Extra Hard Plaster Type 4	Accepted	
		6	M/s Imperial Dental Supply Co	Dentamerica, USA	Pkt of 2 Kg (White Die stone)	Accepted	
38	Hard Plaster	1	M/s Care Medical Solutions	Zermack, Italy	Each Elite Ortho white hard plaster type 3	Accepted	Sample not provided Poor Quality
		5	M/s Biolife Technologies	Pak Made	-	Rejected	
		6	M/s Imperial Dental Supply Co	BMS, Italy	Pkt of 1-Kg	Rejected	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
39	Mirror Tops and Handles	6	M/s Imperial Dental Supply Co	Local	Set	Accepted	
		6	M/s Imperial Dental Supply Co	Local	Set	Accepted	
40	Putty Materials	1	M/s Care Medical Solutions	Zermack, Italy	Each Zeta Plus	Rejected	Poor Quality
		2	M/s Pacific International	Vericom Korea	Set Catalyst 280ml & Base 280ml x 2ea, Measuring scoop 2ea 50mlx2 cartridges, trips	Accepted	Poor Quality
		6	M/s Imperial Dental Supply Co	Major, Italy	Set 900ml Putty 150ml Light Body 60ml Catalyst	Rejected	Poor Quality
41	Soft Liner	6	M/s Imperial Dental Supply Co	Detax, Germany	45-gms Pkt Molloplast-B Silicon Base Chair side	Accepted	
42	Glass Ionomer Luting Class I	5	M/s Biolife Technologies	GC, Japan	-	Accepted	
		6	M/s Imperial Dental Supply Co	T&G UK	Pkt (tg Luto glass 20gm+15ml)	Accepted	
43	Impression material (Aliginate)	1	M/s Care Medical Solutions	Zermack, Italy	Each Hydrogum	Accepted	Setting time issue is not suitable
		5	M/s Biolife Technologies	Major, Italy	-	Rejected	
		6	M/s Imperial Dental Supply Co	Major, Italy	Pkt of 453gm Lb Alginmax / Alginmajor	Rejected	
44	Force Measuring Gauge (Range 50-500 gms) (Range 100-1000 gms)	2	M/s Pacific International	Ortho Care	Each	Accepted	
45	Glass Lonomer Type II	5	M/s Biolife Technologies	GC, Japan	-	Accepted	Poor Quality
		6	M/s Imperial Dental Supply Co	T&G UK	20gm Pwd+15ml Liq. + 10g Varnish	Rejected	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
46	Burs acrylic slow speed Round cylindrical vulcanite	5	M/s Biolife Technologies	Meisinger, Germany	Each	Accepted	Poor Quality
		6	M/s Imperial Dental Supply Co	China	Pc. Round Cylindrical Vulcanite	Rejected	
47	Scalar e Three Tips	5	M/s Biolife Technologies	Wood Pecker, China	Each	Accepted	Sample not provided
		6	M/s Imperial Dental Supply Co	China	Pc.	Rejected	
48	High speed hand piece	1	M/s Care Medical Solutions	Imported	EachCoxo Hand Piece	Rejected	Sample not provided
		2	M/s Pacific International	TD Ortho	Each Hi Speed	Accepted	
		5	M/s Biolife Technologies	NSK, Japan	Each	Rejected	Sample not provided Poor Quality
		6	M/s Imperial Dental Supply Co	Olympia, Japa	No.	Rejected	
49	Micro motor	5	M/s Biolife Technologies	Marthin China	Each	Accepted	
		6	M/s Imperial Dental Supply Co	Rixi, China	Set	Accepted	
50	Rotary Endodontic Hand piece Hand piece 16:1 Reverse Revolution	6	M/s Imperial Dental Supply Co	Dentamerica, USA	Set (Endomax Plus)	Accepted	
51	Curing Light LED	5	M/s Biolife Technologies	Wood Pecker, China	Each	Rejected	Sample not provided
		6	M/s Imperial Dental Supply Co	Dentamerica, USA	Set ("Litex-696" Turbo)	Accepted	
	(B) General Dentistry Items						
52	Inverted cone Burs Diamond, high speed	1	M/s Care Medical Solutions	Mani Japan	Each (Diamond, High Speed)	Accepted	
		5	M/s Biolife Technologies	Mani Japan	-	Accepted	
		6	M/s Imperial Dental Supply Co	China	Pc.	Accepted	
53	Round Burs Diamond, high speed	1	M/s Care Medical Solutions	Mani Japan	Each (Diamond, High Speed)	Accepted	
		5	M/s Biolife Technologies	Mani Japan	-	Accepted	
		6	M/s Imperial Dental Supply Co	China	Pc.	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
54	Cylindrical Burs Diamond, high speed	1	M/s Care Medical Solutions	Mani Japan	Each (Diamond, High Speed)	Accepted	
		5	M/s Biolife Technologies	Mani Japan	-	Accepted	
		6	M/s Imperial Dental Supply Co	China	Pc.	Accepted	
55	Tapering fissure Burs Diamond, high speed	1	M/s Care Medical Solutions	Mani Japan	Each (Diamond, High Speed)	Accepted	
		5	M/s Biolife Technologies	Mani Japan	-	Accepted	
		6	M/s Imperial Dental Supply Co	China	Pc.	Accepted	
56	Cements glass ionomer Type II (Powder & liquid)	6	M/s Imperial Dental Supply Co	UK	Pkt 20gm Pwd+15ml Liq. +10g Resto Glass Filling	Accepted	
57	Composite filling materials complete kit	2	M/s Pacific International	Vericom Korea	Kit A1, A2, A3 (4g) Single Bounding	Accepted	Sample not provided Sample not provided
		5	M/s Biolife Technologies	Korea	7 Shade Kit	Rejected	
		6	M/s Imperial Dental Supply Co	T&G, UK	Kit (Tg, Micro Hybrid) Kit of 4x4.5 gm syringe - Etchant Syringe 9g - 6 Disposable Tip - One Step Dentin / Enamel Bonding 5ml - Brush Holder - 25 Brushes- Mixing Pad	Rejected	
58	Local anesthetic spray 4%			Not Quoted			
59	Lignocain cartridge 2 % With Adrenative pack of 50 cards.			Not Quoted			
60	Lignocain cartridge 2 % Without Adrenative			Not Quoted			
61	Needle for local anesthesia Disposable (Long/Short)	5	M/s Biolife Technologies	H-Dent	-	Accepted	
		6	M/s Imperial Dental Supply Co	H-Dent	Pkt Box of 100's Pcs	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Items Name	Vendo r No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
62	Oil spray For hand piece	5	M/s Biolife Technologies	Ski-China	330ml	Rejected	Sample not provided
		6	M/s Imperial Dental Supply Co	BMS, Italy	No.	Accepted	
63	Root Canal Spreader No. 15-40 & 45-80	1	M/s Care Medical Solutions	Imported	Each	Accepted	
		5	M/s Biolife Technologies	Mani-China	-	Accepted	
		6	M/s Imperial Dental Supply Co	Japan	Pkt (Box of 100's Pcs)	Accepted	
64	Alveogyl pack for day Sachet	5	M/s Biolife Technologies	Hemostop A (Technodent Russia)	-	Rejected	Sample not provided
		6	M/s Imperial Dental Supply Co	Ehnodent EU	Jar of 25gm	Accepted	
65	Air Turbine hand piece	5	M/s Biolife Technologies	Apple Dental, China	-	Accepted	
		6	M/s Imperial Dental Supply Co	Olympia, Japan	No.	Accepted	
66	Light Cure Machine	1	M/s Care Medical Solutions	Lancer Orthodontics USA	Each Lance Light Cure Gun	Accepted	
		5	M/s Biolife Technologies	Wood Pecker, China	Each	Accepted	
		6	M/s Imperial Dental Supply Co	Dentamerica, USA	Set "Litex-696" Turbo	Accepted	
67	Glass Slab	5	M/s Biolife Technologies	Pak Made	Each	Accepted	
		6	M/s Imperial Dental Supply Co	Pak	No.	Accepted	
68.	Dental Material Lab List Soft Plaster			Not Quoted			
69	Hard Plaster Die Stone (Imported)	1	M/s Care Medical Solutions	Zermack, Italy	Each Extra Hard Plaster	Accepted	
		5	M/s Biolife Technologies	Imported	Kg	Accepted	
		6	M/s Imperial Dental Supply Co	BMS, Italy	Pkt of 1 Kg	Accepted	
70	Heat Cure (Pink) Powder Imported	5	M/s Biolife Technologies	Imported, UK	-	Accepted	
		6	M/s Imperial Dental Supply Co	UK	Kg	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
71	Heat Cure Liquid Imported	5	M/s Biolife Technologies	Imported, UK	-	Accepted	
		6	M/s Imperial Dental Supply Co	-	Liter	Accepted	
72	Cold Mould Seal Imported	5	M/s Biolife Technologies	Imported	1 L	Accepted	
		6	M/s Imperial Dental Supply Co	-	Bottle of 500ml	Accepted	
73	Modeling Wax Imported	5	M/s Biolife Technologies	Imported, China	500 gm	Accepted	
		6	M/s Imperial Dental Supply Co	Cavex, Holland	Pkt of 500gm	Rejected	Poor Quality
74	Inlay Wax (Blue) Imported	5	M/s Biolife Technologies	Imported, China	50 gm	Rejected	Sample not provided
		6	M/s Imperial Dental Supply Co	BMS, Italy	100 gm Pkt	Accepted	
75	Pattern Wax (All type) Preformed (One Each)	5	M/s Biolife Technologies	-	50 gm	Accepted	
76	Sprue Wax Imported	5	M/s Biolife Technologies	Imported	225 gm	Accepted	
		6	M/s Imperial Dental Supply Co	Local	Pkt	Accepted	
77	Polishing Cake Imported	5	M/s Biolife Technologies	Imported	Kg	Accepted	
		6	M/s Imperial Dental Supply Co	Local	No.	Rejected	Sample not provided
78	Pumice Powder Local	5	M/s Biolife Technologies	Local	Each	Accepted	
		6	M/s Imperial Dental Supply Co	-	Kg	Accepted	
79	Finishing Stones White Cone shaped	5	M/s Biolife Technologies	China	Each	Accepted	
		6	M/s Imperial Dental Supply Co	China	No. (White cone shape)	Accepted	
80	Trimming Burs T.C.	6	M/s Imperial Dental Supply Co	China	No.	Accepted	
81	Metal (Ni-Cr) Imported	2	M/s Pacific International	TD Ortho	Kg Nickel Chromium Cobalt	Accepted	
		5	M/s Biolife Technologies	Imported, China	Kg	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
82	Metal (Co-Cr) Imported	2	M/s Pacific International	TD Ortho	Kg Nickel Chromium Cobalt	Accepted	Sample not provided
		6	M/s Imperial Dental Supply Co	USA	Kg	Rejected	
83	Self Cure Powder Imported	5	M/s Biolife Technologies	Imported, UK	Kg	Accepted	
		6	M/s Imperial Dental Supply Co	UK	Kg	Accepted	
84	Self Cure Liquid Imported	5	M/s Biolife Technologies	Imported, UK	Liters	Accepted	
		6	M/s Imperial Dental Supply Co	UK	Liter	Accepted	
85	Sand Paper (Water Proof) 350 Grade	5	M/s Biolife Technologies	Pak Made	Strips 350 grade	Accepted	
		6	M/s Imperial Dental Supply Co	-	No.	Accepted	
86	Acrylic Teeth Set of 28's	5	M/s Biolife Technologies	Pak Made	Set of 28's	Accepted	
		6	M/s Imperial Dental Supply Co	-	Set of 1x28	Accepted	
87	Investment Plaster Imported	5	M/s Biolife Technologies	Imported	Carton of 3 Packs	Accepted	Sample not provided
		6	M/s Imperial Dental Supply Co	-	Ctn of 45-Pkt (Wirovest)	Rejected	
88	Spirit Pure	5	M/s Biolife Technologies	Local	1 Liter	Accepted	
89	Spirit Lamp Stainless Steel	5	M/s Biolife Technologies	Pak Made	Each	Accepted	
		6	M/s Imperial Dental Supply Co	China	No.	Accepted	
90	Porcelain (Incisal, Body, Cervical)			Not Quoted			
91	Procelain Opaque + Glaze			Not Quoted			
92	Porcelain Finishing Kit	5	M/s Biolife Technologies	China	Complete Kit	Accepted	
93	Wires (S-S) 0.6mm, 0.8mm, 1.25mm 1 Kg	5	M/s Biolife Technologies	Korea	10 Feet Roll Each size	Accepted	
		6	M/s Imperial Dental Supply Co	Korea	Kg (0.06mm & 0.08mm)	Accepted	
94	Wires (S-S) 0.7mm, 0.9mm 2 Kg Each	5	M/s Biolife Technologies	Korea	10 Feet Roll Each size	Accepted	
		6	M/s Imperial Dental Supply Co	Korea	Kg (0.3mm, 0.9mm)	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Items Name	Vendor No.	Vendor Name	Quoted Brand	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
95	Metal Finishing Burs complete kit	5	M/s Biolife Technologies	China	Each	Accepted	
		6	M/s Imperial Dental Supply Co	China	No. (TC)	Accepted	
96	(C.) Oral Maxillo Facial Surgery List						
	10 Hole micro plate titanium	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
97	20 Hole mini plate titanium	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
98	Mini screw titanium	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
99	Micro screw titanium	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
100	Micro drill bits	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
101	Mini drill bits	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
102	Screw Drivers Mini	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
103	Screw Drivers Micro	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
104	Bone & Holding Forceps	3	M/s Treu Dynamic Int. (Pvt) Ltd	Treu Dynamic Int. (Pvt) Ltd		Accepted	
105	Recon Plate R/L	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
106	Recon Screw	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
107	Recon Drill Bit	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	
108	Recon Screw Driver	3	M/s Treu Dynamic Int. (Pvt) Ltd	Anton Hipp-Germany		Accepted	

11. Framework Contract for Accessories for Equipments

Twelve firms participated in the tender of purchase of Accessories for equipment for the year 2022-2023 i.e. M/s Intexim Enterprises, M/s Medi Bridge, M/s FAB Healthcare, M/s A.W.A. Enterprises, M/s Advance System, M/s Al Kareem Medical Technologies, M/s Novatek Pakistan, M/s IFE Care Technologies, M/s Meditech Healthcare, M/s Noor International, M/s Vertex Medical (Pvt.) Ltd & M/s Total Technologies (Pvt.) Ltd were eligible as per evaluation criteria mentioned in the bidding document.

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

The samples quoted by the firms against the items were technically evaluated & checked the quality and compatibility with the existing system. Comparative Statement / Technical evaluation report is as under.

Sr. No.	Item Name	Vendor No.	Vendor's Name	Make / Model	Manufacturer	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
1	ECG leads for cardiac monitor (Original) Nihon Kohden	7	M/s Novatek Pakistan	BSM-3763 & SVM 7523	Pansw Medical Corp. Ltd China	No.	Accepted	
	Drager	8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
		7	M/s Novatek Pakistan	Avita XL & KAPPA C-700	Pansw Medical Corp. Ltd China	No.	Rejected	Not compatible
		8	M/s IFECare Technologies	Compatible	China	No.	Rejected	Not compatible
		11	M/s Vertex Medical (Pvt) Ltd	MP03404	Dragerwerk, Germany	No.	Accepted	
2	Power Adapter (12V, 3 Amp & 15V 5Amp)	6	M/s Al Kareem Medical Technologies	Compatible / Imported	China	No.	Accepted	
3	Power Leads	6	M/s Al Kareem Medical Technologies	Compatible / Imported	Local	No.	Accepted	
4	Batteries (APS)	6	M/s Al Kareem Medical Technologies	Compatible / Imported	China	No.	Accepted	
5	Power Switch of different sizes (as per sample)	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
6	WD-40 (as per sample)	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
7	CTC (Imported)	6	M/s Al Kareem Medical Technologies	Imported	Local	No.	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Name	Vendor No.	Vendor's Name	Make / Model	Manufacturer	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
8	Contact Cleaner (Philips)	6	M/s Al Kareem Medical Technologies	Local	Philips	No.	Accepted	
9	Halogen Lamp 12V, 20W / 6V, 30W /12V, 100W (Imported)	6	M/s Al Kareem Medical Technologies	Compatible / Imported	China	No.	Accepted	
10	Wall mounted Oxygen flow meter measuring range 0-15 liter/min made of brass body. Complete with un-breakable / autoclavable polycarbonate. Complete with humidifier bottle. And probe of oxygen (USA/Europe/Japan)	1	M/s Intexim Enterprises	Cat # 8531B Delta-P, Italy	Muller, France	Bottle	Accepted	
		2	M/s Medi Bridge	PF-270P-0000 MD-srl Italy		No.	Accepted	
		5	M/s Advance System	Nanotube 10912		No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	RTM 3		No.	Accepted	
		12	M/s Total Technologies (Pvt) Ltd	Easymed with CH 200		No.	Accepted	
11	Oxygen flow meter for oxygen cylinder, measuring range 0-15 liter/min made of brass body .complete with un-breakable / autoclavable polycarbonate. Complete with humidifier bottle. (Imported)	2	M/s Medi Bridge	YF-04B-01	Yuyao Yufeng Medical Equipment Co Ltd (ROC) China	No.	Accepted	Not Compatible
		5	M/s Advance System	Imported	China	No.	Accepted	
		8	M/s IFECare Technologies	Compatible	China	Bottle	Rejected	
		11	M/s Vertex Medical (Pvt) Ltd	RTM 3	TM France	No.	Accepted	
		12	M/s Total Technologies (Pvt) Ltd	YF-04D 01	Yuyao Yufeng Medical Equipment Co Ltd (ROC)	No.	Accepted	
12	Vacuum Regulator for connection to the wall source of pressure gas, using direct probe with suction trap to prevent overflow of waste fluid. Flow rate 20-30 L/min max.	1	M/s Intexim Enterprises	VR 1000DP Delta-P, Italy	France	No.	Accepted	
		5	M/s Advance System	Nanovac 11805		No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	Regflow TM		No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor's Name	Make / Model	Manufacturer	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
	Vacuum 650-700 nbar. With 1 liter unbreakable collection jar with hanging stand silicon tubing. (USA/Europe/Japan)	12	M/s Total Technologies (Pvt) Ltd	Easyvac 1000 with Mak 1000	Italy	No.	Accepted	
13	SPO2 leads for pulse oximeters & Cardiac Monitors (Original) (Peads / Neonate) Nonin	4	M/s A.W.A. Enterprises	Compatible	China	No.	Accepted	
		7	M/s Novatek Pakistan		Pansw Medical Corp. Ltd China	No.	Accepted	
		8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
	Spacelab	4	M/s A.W.A. Enterprises	Compatible	China	No.	Accepted	
		7	M/s Novatek Pakistan		Pansw Medical Corp. Ltd China	No.	Accepted	
		8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
	Nihon Kohden	4	M/s A.W.A. Enterprises	Compatible	China	No.	Accepted	
		7	M/s Novatek Pakistan	BSM-3763 & SVM 7523	Pansw Medical Corp. Ltd China	No.	Accepted	
		8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
	Drager XL	4	M/s A.W.A. Enterprises	Compatible	China	No.	Accepted	
		7	M/s Novatek Pakistan		Pansw Medical Corp. Ltd China	No.	Accepted	
		8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	MP00795	Dragerwerk, Germany	No.	Accepted	
	Drager Vista 120	4	M/s A.W.A. Enterprises	Compatible	China	No.	Accepted	
		7	M/s Novatek Pakistan		Pansw Medical Corp. Ltd China	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor's Name	Make / Model	Manufacturer	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
		8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	2606483	Dragerwerk, Germany	No.	Accepted	
	Massimo	4	M/s A.W.A. Enterprises	Compatible	China	No.	Accepted	
		7	M/s Novatek Pakistan		Pansw Medical Corp. Ltd China	No.	Accepted	
14	ECG leads for machine Mortara (Compatible / Imported)	7	M/s Novatek Pakistan	Imported	Pansw Medical Corp. Ltd China	No.	Accepted	
15	Reuseable Breathing Circuits for ventilators & hipap (Original) Drager	8	M/s IFECare Technologies	Compatible	China	No.	Rejected	Not Compatible
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	8412344	Dragerwerk, Germany	No.	Accepted	
	SLE-5000	4	M/s A.W.A. Enterprises	Compatible	China	No.	Accepted	
		6	M/s Al Kareem Medical Technologies	Original Compatible	Original		Accepted	
		8	M/s IFE Care Technologies	Compatible	China	No.	Rejected	Not Compatible
	Hamilton G5	6	M/s Al Kareem Medical Technologies	Original Compatible	Original	No.	Accepted	
		8	M/s IFE Care Technologies	Compatible	China	No.	Rejected	Not Compatible
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
		10	M/s Noor International	Hamilton	Original	No.	Accepted	
16	Flow meter Bottles (Compatible / Imported)	2	M/s Medi Bridge	Imported	Local	Bottle	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor's Name	Make / Model	Manufacturer	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
17	NIBP leads for cardiac monitor (Compatible / Imported) Drager	7	M/s Novatek Pakistan	Avita XL & KAPPA C-700	Pansw Medical Corp. Ltd China	No.	Rejected	Not Compatible
		8	M/s IFECare Technologies	Compatible	China	No.	Rejected	Not Compatible
		9	M/s Medi Tech Healthcare	Compatible		No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	MP00953	Dragerwerk, Germany	No.	Accepted	
	Nihon Kohden	7	M/s Novatek Pakistan	BSM-3763 & SVM 7523	Pansw Medical Corp. Ltd China	No.	Accepted	
		8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
18	Pace Maker Leads (APS)			Not Quoted				
19	IBP leads for Cardiac Monitor (APS) Drager	7	M/s Novatek Pakistan	Avita XL & KAPPA C-700	Pansw Medical Corp. Ltd China	No.	Rejected	Not Compatible
		8	M/s IFECare Technologies	Compatible	China	No.	Rejected	Not Compatible
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	MS22534	Dragerwerk, Germany	No.	Accepted	
	Nihon Kohden (China)	7	M/s Novatek Pakistan	Avita XL & KAPPA C-700	Pansw Medical Corp. Ltd China	No.	Accepted	
		8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor's Name	Make / Model	Manufacturer	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
20	Electric Tube Rod (Bed Head Panel) 1.5 ft	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
	3 ft	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
	5 ft	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
21	Electronic Choke for bed head tube rods	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
22	Flow sensor for ventilators Drager (Peads)	3	M/s FAB Health Care	Compatible	Original	No.	Accepted	
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	8403735	Dragerwerk, Germany	No.	Accepted	
	Drager (Neonate)	3	M/s FAB Health Care	Compatible	China	No.	Accepted	
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	8411130	Dragerwerk, Germany	No.	Accepted	
	SLE-5000 (Neonate)	6	M/s Al Kareem Medical Technologies	Compatible / Imported	Original	No.	Accepted	
	Hamilton G5	6	M/s Al Kareem Medical Technologies	Compatible / Imported	Original	No.	Accepted	
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
		10	M/s Noor International	Hamilton	Original	No.	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

Sr. No.	Item Name	Vendor No.	Vendor's Name	Make / Model	Manufacturer	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
	E-Vent	6	M/s Al Kareem Medical Technologies	Compatible / Imported	Original	No.	Accepted	
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
23	Oxygen Cell for Ventilator / Anesthesia machines SLE-5000	8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
	Hamilton G5	8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
		10	M/s Noor International	Hamilton	Original	No.	Accepted	
	Dragge Anesthesia Machine	8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
		9	M/s Medi Tech Healthcare	Compatible	Original	No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	6850645	Dragerwerk, Germany	No.	Accepted	
24	CO2 Leads (Dragger)	8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
		11	M/s Vertex Medical (Pvt) Ltd	4322975	Dragerwerk, Germany	No.	Accepted	
25	CO2 Leads (Nihon Kohden)	7	M/s Novatek Pakistan	BSM-3763	Pansw Medical Corp. Ltd China	No.	Accepted	
		8	M/s IFECare Technologies	Compatible	China	No.	Accepted	
26	Fuse (Small, Medium)	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
28	Ceramic Heater (220V, 650W, 1000W)	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	

**MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023**

Sr. No.	Item Name	Vendor No.	Vendor's Name	Make / Model	Manufacturer	Pack Size	Technical Scrutiny (Accepted / Rejected)	Reason of Rejection
29	Elfy	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
30	Silicon Gun with rod	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
31	Depoxi	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
32	Tai Cable (Small, Medium)	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
33	Battery 9V	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
34	Halogen Lamp Holder	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
35	Nebulizer Nobes (APS)			Not Quoted				
36	Tube Holder for Bed Head Unit	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
37	Teflon Tape	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
38	Solder Wire (Schneider 40/60)	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
39	Past of Soldering	6	M/s Al Kareem Medical Technologies	Local	Local	No.	Accepted	
40	Temperature Controller (PT-100)	6	M/s Al Kareem Medical Technologies	Imported	Local	No.	Accepted	
41	Dry Batteries (12V-65AH)	6	M/s Al Kareem Medical Technologies	Imported	Local	No.	Accepted	

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON 22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023

12. Out Sourcing of Printers Including Printer Toner, Repair, Refill and Backup Facility (Excluding Paper)

Three Firms i.e. M/s Nazam Trading Co, M/s Global Communication System & M/s Printer City & Computer participated in the bid regarding Contract for the Out Sourcing of Printers including printer toner, repair, refill and backup facility (excluding papers) for the year 2022-2023. M/s Global Communication System & M/s Printer City & Computer were declared responsive, whereas M/s Nazam Trading was declared non-responsive as the firm did not fulfilled clause # 7, 9 & 12 of compulsory parameter mentioned in the bid.

13. Contract for Services of Insecticide / Pest Control in the Hospital.

Three Firms i.e. M/s S. S. Corporation, M/s 4 Seasons Pest Control Services & M/s Pest Western participated in the bid regarding Contract for the Services of Insecticide / Pest Control for the year 2022-2023. M/s 4 Seasons Pest Control Services & M/s Pest Western were declared responsive whereas M/s S. S. Corporation did not fulfilled clause # 8 & 9 of compulsory parameters & did not submit samples of medicine and instrument used in the hospital alongwith bid as per clause # 8 of bidding document, hence declared non-responsive.

14. Prequalification of firms for supply of Medicines, Surgical Disposable & Medical Devices through Local purchase on Day to Day basis.


Five firms participated i.e. M/s Cardiac Care Pharmacy, M/s Decent Pharmacy, M/s Punjab Medical Services Pharmacy, M/s LCH Pharmacy & M/s Model Pharmacy. All firms were declared responsive as per bid evaluation criteria and inspection committee reports.

Prepared by:-




Syed Zahar Abbas Naqvi
Computer Operator

Checked by:-



Arsalan Mahmood
Purchase Assistant

Verified by:-





Malim Ghulam Abbas
Purchase Superintendent




Mst. Sana Naeem
Purchase Officer

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023



Rana Adnan Ali
Purchase Officer



Mst. Saraphen Rebecca
Head Nurse NNU



Mst. Naheed Akhtar
Head Nurse MICU


Mst. Fozia Bano
Admin Nurse / Cardiac Surgery ICU



Mst. Naziran Batool
Assistant Nursing Superintendent



Mst. Shahida Din Muhammad
Incharge Insecticide / Pest Control



Mazhar Iqbal Noor
Computer Programmer / IT. Incharge


Dr. Ayesha Ashraf
Assistant Prof. of Orthodontic



Dr. Zia ur Rehman
Associate Prof. of Peds Neurology


Dr. Abid Ali Qureshi
Prof. of Radiology



Dr. Nasreen Manzoor
AMS (Store)



Engr. Shujaat Ali
Bio Medical Engineer / Technical Officer



Muhammad Riaz Shahid
Computer Programmer / Pay Roll Incharge



Dr. Zeeshan Sarfraz
Deputy Medical Superintendent (Purchase)


Dr. Syed Salman Ahmad Shan
Assistant Prof. of Pead Cardiovascular Surgery



Mst. Faeza Husnain
Chief Pharmacist / Drug Controller



Dr. Sarfraz Ahmad
Associate Prof. of Peadiatric PM&R


Dr. Nazish Saqlan
Associate Prof. Pathology Department



Dr. Farah Naz
Associate Prof. of Pead Medicine


Dr. Javed Iqbal
Prof. of Paediatric Medicine


Dr. Aizaz Zafar
Prof. of Microbiology / Head of Pathology
Department


Dr. Rubina Talat
Prof. of Peads Surgery / Head of Department
Surgery Unit-II

MINUTES OF TECHNICAL ADVISORY COMMITTEE (TAC) MEETING HELD ON
22-09-2022 AT 11:30 A.M. IN THE CONFERENCE ROOM OF THE ADMIN BLOCK THE
CHILDREN'S HOSPITAL, UCHS LAHORE FOR THE YEAR 2022-2023


Dr. Junaid Rashid
Prof. of Paediatric Medicine /
Head of Department Medical Unit-II

It is submitted for approval please.

Medical Director

